

Groundwater Quality Report: India, 2026

District-wise contaminant data from the Central Ground Water Board, assessed against BIS drinking water standards

Districts assessed	Districts flagged	Parameters	States and UTs	Monitoring wells
755	644	9	36	15,259

Parameters and standards

Parameter	BIS limit	Unit	Districts flagged	% of assessed
Salinity (EC)	3000	uS/cm	241	31.9%
Fluoride	1.5	mg/L	301	39.9%
Nitrate	45	mg/L	526	69.7%
Iron	1.0	mg/L	409	54.2%
Arsenic	10	ppb	140	18.5%
Uranium	30	ppb	151	20.0%
Manganese	0.3	mg/L	201	26.6%
Lead	0.01	mg/L	28	3.7%
Zinc	15	mg/L	6	0.8%

How to read this report

Flagged means at least one CGWB monitoring well in that district was listed at or above the BIS limit. It does not mean every source in the district is affected.

Not listed is not a clean-water certificate. CGWB publishes only the sites that exceeded a limit, so a district can be absent because it was clean or because it was thinly sampled.

Ranges cover only the exceeding sites. Where a district was sampled in both rounds, the range shown is the year with the worse reading, and that year is named in the district tables.

At-limit readings. CGWB lists sites at or above a limit, so a small number of readings sit exactly on the limit rather than above it. They are carried as listed.

Source: CGWB Annual Ground Water Quality Reports 2024 and 2025, Government of India. Limits: BIS IS 10500:2012. Compiled and published by vsctimes.com. Licensed CC BY 4.0 with attribution to vsctimes.com. Interactive version and full dataset: <https://vsctimes.com/water-quality-india/>

District-wise assessment

Every district CGWB monitored, grouped by state. Values are the measured range at exceeding sites, in the unit shown under Parameters and standards.

Andaman & Nicobar Islands

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Nicobars	not listed in CGWB exceedance annexures			no measured range published
North and Middle Andaman	Iron, Manganese	Iron	4.8	Iron 1.915 to 4.841 mg/L (2 sites, 2025); Manganese 0.358 to 1.015 mg/L (2 sites, 2025)
South Andaman	Salinity (EC), Fluoride, Iron, Manganese	Manganese	14.6	Salinity (EC) 6134 uS/cm (1 sites, 2025); Fluoride 1.76 mg/L (1 sites, 2025); Iron 1.544 to 11.619 mg/L (6 sites, 2025); Manganese 0.307 to 4.393 mg/L (13 sites, 2025)

Andhra Pradesh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Alluri sita rama raju	Fluoride, Nitrate	Nitrate	2.3	Fluoride 1.67 mg/L (1 sites, 2025); Nitrate 48 to 103 mg/L (7 sites, 2025)
Anakapalli	Salinity (EC), Fluoride, Nitrate	Nitrate	7.1	Salinity (EC) 3061 to 3780 uS/cm (2 sites, 2025); Fluoride 2.29 to 2.35 mg/L (2 sites, 2025); Nitrate 52 to 59 mg/L (2 sites, 2025)
Anantapur	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Iron	8.7	Salinity (EC) 3851 to 4201 uS/cm (2 sites, 2025); Fluoride 1.78 to 2.31 mg/L (2 sites, 2025); Nitrate 46 to 189 mg/L (6 sites, 2025); Iron 1.03 to 8.71 mg/L (13 sites, 2024); Arsenic 16.243 ppb (1 sites, 2024)
Annamayya	Salinity (EC), Fluoride, Nitrate	Nitrate	5.2	Salinity (EC) 4960 uS/cm (1 sites, 2025); Fluoride 1.59 to 2.58 mg/L (4 sites, 2024); Nitrate 62 to 85 mg/L (4 sites, 2025)
Bapatla	Salinity (EC), Fluoride, Nitrate	Nitrate	2.3	Salinity (EC) 4686 uS/cm (1 sites, 2025); Fluoride 2.93 mg/L (1 sites, 2024); Nitrate 62 to 85 mg/L (3 sites, 2025)
Chittoor	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	3.5	Salinity (EC) 3763 uS/cm (1 sites, 2025); Fluoride 1.83 mg/L (1 sites, 2025); Nitrate 75 to 156 mg/L (2 sites, 2025); Iron 1.96 mg/L (1 sites, 2024)
East Godavari	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Iron	30.7	Salinity (EC) 3289 uS/cm (1 sites, 2025); Fluoride 1.74 to 2.04 mg/L (3 sites, 2024); Nitrate 46 mg/L (1 sites, 2025); Iron 1.08 to 30.67 mg/L (10 sites, 2024); Arsenic 12.9 to 18.405 ppb (4 sites, 2024)
Eluru	Salinity (EC), Nitrate	Nitrate	4.5	Salinity (EC) 3073 to 5015 uS/cm (3 sites, 2025); Nitrate 64 to 138 mg/L (5 sites, 2025)
Guntur	Salinity (EC), Nitrate, Iron, Arsenic	Nitrate	7.9	Salinity (EC) 3600 to 6620 uS/cm (4 sites, 2025); Nitrate 52 to 217 mg/L (9 sites, 2025); Iron 1.01 to 3.65 mg/L (29 sites, 2024); Arsenic 10.575 to 41.661 ppb (12 sites, 2024)
Kakinada	Salinity (EC), Nitrate	Nitrate	4.4	Salinity (EC) 3551 to 10730 uS/cm (3 sites, 2025); Nitrate 49 to 198 mg/L (8 sites, 2025)
Konaseema	Salinity (EC), Nitrate	Nitrate	2.3	Nitrate 54 to 102 mg/L (2 sites, 2024)
Krishna	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Iron	32.1	Salinity (EC) 3102 to 5712 uS/cm (7 sites, 2025); Fluoride 2.06 mg/L (1 sites, 2025); Nitrate 46 to 82 mg/L (4 sites, 2025); Iron 1.03 to 32.15 mg/L (4 sites, 2024); Arsenic 10.027 to 13.009 ppb (2 sites, 2024)
Kurnool	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Salinity (EC)	28.2	Salinity (EC) 3014 to 5515 uS/cm (2 sites, 2025); Fluoride 2.65 mg/L (1 sites, 2025); Nitrate 49 to 189 mg/L (4 sites, 2025); Iron 2.07 to 7.14 mg/L (6 sites, 2024); Arsenic 38.842 ppb (1 sites, 2024)
NTR	Salinity (EC), Fluoride, Nitrate	Nitrate	4.3	Salinity (EC) 4358 uS/cm (1 sites, 2025); Fluoride 1.59 to 4.22 mg/L (3 sites, 2025); Nitrate 46 to 178 mg/L (5 sites, 2025)
Nandyal	Fluoride, Nitrate	Nitrate	4.0	Fluoride 1.99 mg/L (1 sites, 2024); Nitrate 46 to 179 mg/L (3 sites, 2024)

Nellore	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Nitrate	12.0	Salinity (EC) 4200 uS/cm (1 sites, 2025); Fluoride 1.58 to 3.3 mg/L (11 sites, 2024); Nitrate 65 to 110 mg/L (3 sites, 2025); Iron 1.54 mg/L (1 sites, 2024); Arsenic 51.906 ppb (1 sites, 2024)
Palnadu	Salinity (EC), Fluoride, Nitrate	Nitrate	12.4	Salinity (EC) 3025 to 6312 uS/cm (10 sites, 2025); Fluoride 1.87 to 2.78 mg/L (4 sites, 2025); Nitrate 54 to 560 mg/L (20 sites, 2025)
Parvathipuram Manyam	Salinity (EC), Nitrate	Nitrate	3.1	Nitrate 60 to 139 mg/L (3 sites, 2025)
Prakasam	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Iron	32.6	Salinity (EC) 10890 uS/cm (1 sites, 2025); Fluoride 1.51 to 3.1 mg/L (6 sites, 2025); Nitrate 49 to 300 mg/L (20 sites, 2025); Iron 2.47 to 32.64 mg/L (2 sites, 2024); Arsenic 10.371 to 13.705 ppb (2 sites, 2024)
Sri Satya Sai	Salinity (EC), Fluoride, Nitrate	Nitrate	12.9	Salinity (EC) 3204 uS/cm (1 sites, 2025); Fluoride 1.51 to 3.21 mg/L (7 sites, 2025); Nitrate 46 to 321 mg/L (7 sites, 2025)
Srikakulam	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	5.5	Salinity (EC) 3320 to 3340 uS/cm (2 sites, 2024); Fluoride 1.61 mg/L (1 sites, 2024); Nitrate 54 to 94 mg/L (3 sites, 2025); Iron 1.12 mg/L (1 sites, 2024)
Tirupati	Salinity (EC), Fluoride, Nitrate	Salinity (EC)	2.0	Salinity (EC) 3450 to 5965 uS/cm (3 sites, 2025); Fluoride 2.15 mg/L (1 sites, 2025); Nitrate 53 to 63 mg/L (2 sites, 2025)
Visakhapatnam	Salinity (EC), Fluoride, Nitrate	Nitrate	6.7	Salinity (EC) 10920 uS/cm (1 sites, 2025); Fluoride 1.52 mg/L (1 sites, 2025); Nitrate 48 to 97 mg/L (5 sites, 2025)
Vizianagaram	Salinity (EC), Nitrate, Iron	Iron	23.7	Salinity (EC) 3150 uS/cm (1 sites, 2025); Nitrate 55 to 192 mg/L (5 sites, 2025); Iron 1.15 to 23.7 mg/L (4 sites, 2024)
West Godavari	Salinity (EC), Nitrate, Iron	Iron	4.5	Salinity (EC) 4377 to 9382 uS/cm (2 sites, 2025); Nitrate 54 mg/L (1 sites, 2025); Iron 1.05 to 4.47 mg/L (5 sites, 2024)
YSR Kadapa	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	51.0	Salinity (EC) 4117 to 6912 uS/cm (2 sites, 2025); Fluoride 1.58 to 5.7 mg/L (4 sites, 2025); Nitrate 57 to 2070 mg/L (8 sites, 2025); Iron 1.16 to 12.66 mg/L (14 sites, 2024)

Arunachal Pradesh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Anjaw	not listed in CGWB exceedance annexures			no measured range published
Changlang	Iron, Manganese	Iron	5.7	Iron 5.666 mg/L (1 sites, 2025); Manganese 0.576 mg/L (1 sites, 2025)
East Kameng	not listed in CGWB exceedance annexures			no measured range published
East Siang	not listed in CGWB exceedance annexures			no measured range published
Kamle	not listed in CGWB exceedance annexures			no measured range published
Kra Daadi	not listed in CGWB exceedance annexures			no measured range published
Kurung Kumey	not listed in CGWB exceedance annexures			no measured range published
Lepa Rada	not listed in CGWB exceedance annexures			no measured range published
Lohit	not listed in CGWB exceedance annexures			no measured range published

Longding	not listed in CGWB exceedance annexures			no measured range published
Lower Dibang Valley	not listed in CGWB exceedance annexures			no measured range published
Lower Siang	not listed in CGWB exceedance annexures			no measured range published
Lower Subansiri	not listed in CGWB exceedance annexures			no measured range published
Namsai	not listed in CGWB exceedance annexures			no measured range published
Pakke Kessang	not listed in CGWB exceedance annexures			no measured range published
Papum Pare	Fluoride, Iron, Manganese	Manganese	2.8	Fluoride 1.51 mg/L (1 sites, 2025); Iron 1.958 mg/L (1 sites, 2025); Manganese 0.373 to 0.839 mg/L (2 sites, 2025)
Shi Yomi	not listed in CGWB exceedance annexures			no measured range published
Siang	not listed in CGWB exceedance annexures			no measured range published
Tawang	not listed in CGWB exceedance annexures			no measured range published
Tirap	Iron	Iron	3.4	Iron 3.22 to 3.36 mg/L (2 sites, 2024)
Upper Dibang Valley	not listed in CGWB exceedance annexures			no measured range published
Upper Siang	not listed in CGWB exceedance annexures			no measured range published
Upper Subansiri	not listed in CGWB exceedance annexures			no measured range published
West Kameng	not listed in CGWB exceedance annexures			no measured range published
West Siang	not listed in CGWB exceedance annexures			no measured range published

Assam

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Baksa	Iron, Manganese	Manganese	10.7	Iron 1.332 to 4.755 mg/L (5 sites, 2025); Manganese 0.389 to 3.206 mg/L (5 sites, 2025)
Barpeta	Nitrate, Iron, Arsenic, Manganese	Iron	16.9	Nitrate 111 mg/L (1 sites, 2025); Iron 16.931 mg/L (1 sites, 2025); Arsenic 67.6 ppb (1 sites, 2025); Manganese 1.521 mg/L (1 sites, 2025)
Biswanath	Manganese	Manganese	6.3	Manganese 0.327 to 1.883 mg/L (3 sites, 2025)
Bongaigaon	Iron	Iron	3.0	Iron 1.01 to 3.01 mg/L (2 sites, 2024)
Cachar	Iron, Arsenic, Manganese, Lead	Iron	20.4	Iron 1.061 to 20.434 mg/L (3 sites, 2025); Arsenic 10.511 ppb (1 sites, 2024); Manganese 0.346 to 1.471 mg/L (6 sites, 2025); Lead 0.013 mg/L (1 sites, 2025)

Charaideo	Manganese	Manganese	1.3	Manganese 0.397 mg/L (1 sites, 2025)
Chirang	not listed in CGWB exceedance annexures			no measured range published
Darrang	Nitrate, Iron, Manganese	Manganese	2.3	Nitrate 45 mg/L (1 sites, 2025); Iron 1.142 mg/L (1 sites, 2025); Manganese 0.414 to 0.68 mg/L (2 sites, 2025)
Dhemaji	Iron, Manganese	Manganese	4.4	Iron 1.4 mg/L (1 sites, 2024); Manganese 1.037 to 1.329 mg/L (2 sites, 2025)
Dhubri	not listed in CGWB exceedance annexures			no measured range published
Dibrugarh	Iron, Manganese, Lead	Lead	30.7	Iron 1.899 to 14.626 mg/L (6 sites, 2025); Manganese 0.447 to 0.696 mg/L (3 sites, 2025); Lead 0.015 to 0.307 mg/L (2 sites, 2025)
Dima Hasao	not listed in CGWB exceedance annexures			no measured range published
East Karbi Anglong	Iron, Manganese	Iron	4.0	Iron 1.155 to 2.7 mg/L (2 sites, 2025); Manganese 0.305 to 0.589 mg/L (3 sites, 2025)
Goalpara	Iron, Arsenic, Manganese, Lead	Iron	12.9	Iron 1.065 to 12.922 mg/L (6 sites, 2025); Arsenic 24.1 ppb (1 sites, 2025); Manganese 0.443 to 1.152 mg/L (2 sites, 2025); Lead 0.036 to 0.04 mg/L (2 sites, 2025)
Golaghat	Iron, Arsenic, Manganese	Manganese	7.8	Iron 1.92 mg/L (1 sites, 2024); Arsenic 25.8 ppb (1 sites, 2025); Manganese 0.414 to 2.326 mg/L (3 sites, 2025)
Hailakandi	Iron, Manganese	Iron	6.5	Iron 6.528 mg/L (1 sites, 2025); Manganese 0.449 to 0.73 mg/L (2 sites, 2025)
Hojai	Iron, Manganese	Iron	3.3	Iron 3.258 mg/L (1 sites, 2025); Manganese 0.315 to 0.739 mg/L (2 sites, 2025)
Jorhat	Iron, Manganese	Manganese	6.1	Iron 1.693 mg/L (1 sites, 2025); Manganese 0.446 to 1.827 mg/L (4 sites, 2025)
Kamrup	Fluoride, Iron, Arsenic, Manganese, Lead	Manganese	12.2	Fluoride 2.26 mg/L (1 sites, 2025); Iron 1.384 to 1.826 mg/L (2 sites, 2025); Arsenic 22.7 ppb (1 sites, 2025); Manganese 0.41 to 3.662 mg/L (6 sites, 2025); Lead 0.017 to 0.032 mg/L (2 sites, 2025)
Kamrup Metropolitan	not listed in CGWB exceedance annexures			no measured range published
Karbi Anglong	Iron, Arsenic, Manganese	Manganese	9.5	Iron 1.13 to 8.751 mg/L (2 sites, 2025); Arsenic 20.7 ppb (1 sites, 2025); Manganese 0.397 to 2.849 mg/L (5 sites, 2025)
Kokrajhar	Iron, Lead	Lead	9.6	Iron 3.119 mg/L (1 sites, 2025); Lead 0.096 mg/L (1 sites, 2025)
Lakhimpur	Iron, Arsenic, Manganese	Manganese	5.1	Iron 1.03 to 3.81 mg/L (3 sites, 2024); Arsenic 16.9 ppb (1 sites, 2025); Manganese 0.4 to 1.532 mg/L (5 sites, 2025)
Majuli	not listed in CGWB exceedance annexures			no measured range published
Morigaon	Salinity (EC), Nitrate, Iron, Manganese	Iron	2.4	Salinity (EC) 3590 uS/cm (1 sites, 2024); Nitrate 49 mg/L (1 sites, 2025); Iron 2.443 mg/L (1 sites, 2025); Manganese 0.596 to 0.634 mg/L (2 sites, 2025)
Nagaon	Iron, Manganese	Iron	7.0	Iron 1.1 to 1.56 mg/L (2 sites, 2025); Manganese 0.309 to 1.454 mg/L (6 sites, 2025)
Nalbari	Iron, Arsenic, Manganese	Manganese	4.4	Iron 1.897 mg/L (1 sites, 2025); Arsenic 35.1 ppb (1 sites, 2025); Manganese 0.712 to 1.318 mg/L (2 sites, 2025)
Sivasagar	Iron, Arsenic, Manganese	Iron	10.9	Iron 9.156 to 10.92 mg/L (2 sites, 2025); Arsenic 13.4 ppb (1 sites, 2025); Manganese 0.364 to 3.172 mg/L (2 sites, 2025)
Sonitpur	Iron, Manganese	Iron	6.8	Iron 1.229 to 6.822 mg/L (5 sites, 2025); Manganese 0.414 to 0.91 mg/L (4 sites, 2025)
South Salmara Mankachar	not listed in CGWB exceedance annexures			no measured range published
Sribhumi (Karimganj)	Iron, Arsenic, Manganese	Iron	21.1	Iron 9.023 to 21.077 mg/L (2 sites, 2025); Arsenic 85.2 ppb (1 sites, 2025); Manganese 0.312 to 4.799 mg/L (6 sites, 2025)

Tinsukia	Nitrate, Iron, Manganese	Iron	6.3	Nitrate 50 mg/L (1 sites, 2025); Iron 2.031 to 6.301 mg/L (7 sites, 2025); Manganese 0.348 to 1.852 mg/L (5 sites, 2025)
Udalguri	Iron, Manganese, Lead	Iron	8.5	Iron 1.373 to 8.491 mg/L (2 sites, 2025); Manganese 0.4 to 1.03 mg/L (3 sites, 2025); Lead 0.017 mg/L (1 sites, 2025)
West Karbi Anglong	Iron, Manganese	Manganese	1.5	Iron 1.14 mg/L (1 sites, 2024); Manganese 0.441 mg/L (1 sites, 2025)

Bihar

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Araria	Nitrate, Iron, Arsenic	Iron	8.6	Nitrate 55 to 62 mg/L (2 sites, 2025); Iron 4.15 to 8.61 mg/L (3 sites, 2024); Arsenic 10.21 to 15.37 ppb (3 sites, 2024)
Arwal	Nitrate	Nitrate	1.5	Nitrate 60 to 68 mg/L (2 sites, 2025)
Aurangabad	Salinity (EC), Nitrate	Nitrate	2.8	Salinity (EC) 3316 uS/cm (1 sites, 2025); Nitrate 62 to 125 mg/L (3 sites, 2025)
Banka	Fluoride, Iron	Iron	3.9	Fluoride 1.63 mg/L (1 sites, 2024); Iron 1.05 to 3.92 mg/L (4 sites, 2024)
Begusarai	Fluoride, Nitrate, Iron, Arsenic	Arsenic	8.1	Fluoride 1.6 mg/L (1 sites, 2025); Nitrate 69 to 85 mg/L (4 sites, 2025); Iron 1.1 to 7.95 mg/L (18 sites, 2024); Arsenic 10.66 to 80.82 ppb (10 sites, 2024)
Bhagalpur	Nitrate, Iron, Arsenic	Iron	7.1	Nitrate 46 to 119 mg/L (2 sites, 2024); Iron 1.1 to 7.06 mg/L (3 sites, 2024); Arsenic 18.62 to 42.22 ppb (2 sites, 2024)
Bhojpur	Fluoride, Nitrate, Iron, Arsenic	Arsenic	26.1	Fluoride 1.65 mg/L (1 sites, 2025); Nitrate 48 to 60 mg/L (2 sites, 2025); Iron 3 mg/L (1 sites, 2025); Arsenic 69 ppb (1 sites, 2025)
Buxar	Salinity (EC), Nitrate, Iron, Arsenic, Manganese	Arsenic	28.9	Salinity (EC) 3055 to 3098 uS/cm (2 sites, 2024); Nitrate 59 to 61 mg/L (2 sites, 2025); Iron 4.73 mg/L (1 sites, 2025); Arsenic 15 to 19.2 ppb (2 sites, 2025); Manganese 0.674 to 1.314 mg/L (2 sites, 2025)
Darbhanga	Arsenic	Arsenic	1.3	Arsenic 13.43 ppb (1 sites, 2024)
East Champaran	Fluoride, Nitrate, Iron, Arsenic	Iron	9.2	Fluoride 1.55 mg/L (1 sites, 2025); Nitrate 47 to 82 mg/L (5 sites, 2025); Iron 1.17 to 9.22 mg/L (8 sites, 2024); Arsenic 14.3 to 49.46 ppb (4 sites, 2024)
Gaya	Fluoride, Nitrate, Iron	Nitrate	4.3	Fluoride 2 mg/L (1 sites, 2025); Nitrate 112 to 195 mg/L (3 sites, 2025)
Gopalganj	Nitrate, Iron, Arsenic	Nitrate	2.9	Nitrate 50 to 129 mg/L (8 sites, 2025); Iron 1.23 to 1.92 mg/L (5 sites, 2024); Arsenic 14.03 ppb (1 sites, 2024)
Jamui	Fluoride, Iron	Iron	6.0	Fluoride 1.52 to 2.4 mg/L (3 sites, 2025); Iron 1.32 to 6.03 mg/L (3 sites, 2024)
Jehanabad	Salinity (EC), Nitrate	Nitrate	4.2	Salinity (EC) 4269 uS/cm (1 sites, 2025); Nitrate 188 mg/L (1 sites, 2025)
Kaimur	Nitrate, Iron	Iron	10.1	Nitrate 48 mg/L (1 sites, 2024); Iron 1.08 to 10.09 mg/L (6 sites, 2024)
Katihar	Nitrate, Iron, Arsenic	Iron	9.5	Nitrate 50 to 66 mg/L (3 sites, 2025); Iron 9.47 mg/L (1 sites, 2024); Arsenic 12.17 ppb (1 sites, 2024)
Khagaria	Nitrate, Iron, Arsenic	Arsenic	25.0	Nitrate 71 to 92 mg/L (2 sites, 2025); Iron 1.72 to 11.24 mg/L (9 sites, 2024); Arsenic 15.42 to 249.78 ppb (3 sites, 2024)
Kishanganj	Nitrate, Iron, Arsenic	Iron	8.8	Nitrate 64 to 70 mg/L (3 sites, 2025); Iron 2.62 to 8.79 mg/L (4 sites, 2024); Arsenic 12.12 to 32.39 ppb (2 sites, 2024)
Lakhisarai	Salinity (EC), Iron	Iron	7.5	Salinity (EC) 3005 uS/cm (1 sites, 2024); Iron 7.54 mg/L (1 sites, 2024)
Madhepura	Nitrate, Iron, Arsenic	Iron	10.6	Nitrate 49 to 76 mg/L (2 sites, 2024); Iron 1.04 to 10.62 mg/L (8 sites, 2024); Arsenic 12.06 ppb (1 sites, 2024)
Madhubani	Nitrate, Iron, Arsenic, Manganese	Iron	11.2	Nitrate 65 mg/L (1 sites, 2025); Iron 1.441 to 11.18 mg/L (2 sites, 2025); Arsenic 19.1 ppb (1 sites, 2025); Manganese 0.46 to 1.29 mg/L (2 sites, 2025)
Munger	Iron	Iron	13.7	Iron 1.99 to 13.69 mg/L (3 sites, 2024)
Muzaffarpur	Nitrate, Iron, Arsenic	Arsenic	5.1	Nitrate 48 mg/L (1 sites, 2024); Iron 1.47 to 4.09 mg/L (7 sites, 2024); Arsenic 10.81 to 51 ppb (4 sites, 2024)

Nalanda	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	3.9	Salinity (EC) 3971 uS/cm (1 sites, 2025); Fluoride 1.98 to 2.26 mg/L (4 sites, 2025); Nitrate 60 to 175 mg/L (9 sites, 2025); Iron 1.02 to 3.62 mg/L (15 sites, 2024)
Nawada	Fluoride, Nitrate, Iron	Iron	8.2	Fluoride 1.94 to 2.13 mg/L (5 sites, 2025); Nitrate 65 to 84 mg/L (2 sites, 2025); Iron 2.22 to 8.21 mg/L (4 sites, 2024)
Patna	Nitrate, Iron	Iron	25.8	Nitrate 77 to 84 mg/L (2 sites, 2025); Iron 1.03 to 25.8 mg/L (5 sites, 2024)
Purnia	not listed in CGWB exceedance annexures			no measured range published
Rohtas	Iron	Iron	1.9	Iron 1.09 to 1.95 mg/L (4 sites, 2024)
Saharsa	Fluoride, Nitrate, Iron	Iron	24.1	Fluoride 1.72 to 1.82 mg/L (2 sites, 2025); Nitrate 62 to 72 mg/L (2 sites, 2024); Iron 1.52 to 24.14 mg/L (8 sites, 2024)
Samastipur	Fluoride, Nitrate, Iron, Arsenic	Iron	4.9	Fluoride 1.66 mg/L (1 sites, 2025); Nitrate 62 to 72 mg/L (2 sites, 2025); Iron 1.01 to 4.94 mg/L (2 sites, 2024); Arsenic 13.63 ppb (1 sites, 2024)
Saran	Nitrate, Iron, Arsenic	Iron	3.5	Nitrate 60 to 130 mg/L (5 sites, 2025); Iron 1.01 to 3.52 mg/L (4 sites, 2024); Arsenic 16.2 ppb (1 sites, 2024)
Sheikhpura	Fluoride, Nitrate, Iron	Nitrate	3.4	Fluoride 2.09 to 2.14 mg/L (2 sites, 2025); Nitrate 155 mg/L (1 sites, 2025); Iron 1.34 to 1.35 mg/L (2 sites, 2024)
Sheohar	Nitrate, Iron, Arsenic, Manganese	Arsenic	7.0	Nitrate 47 mg/L (1 sites, 2024); Iron 1.885 to 2.28 mg/L (2 sites, 2025); Arsenic 18 to 22 ppb (2 sites, 2025); Manganese 0.339 mg/L (1 sites, 2025)
Sitamarhi	Nitrate, Iron, Arsenic	Arsenic	8.6	Nitrate 48 mg/L (1 sites, 2024); Iron 1.218 to 2.311 mg/L (2 sites, 2025); Arsenic 11.11 to 85.87 ppb (3 sites, 2024)
Siwan	Salinity (EC), Nitrate, Iron, Uranium	Nitrate	2.3	Salinity (EC) 3004 uS/cm (1 sites, 2024); Nitrate 55 to 104 mg/L (4 sites, 2025); Iron 1.06 mg/L (1 sites, 2024); Uranium 31.38 ppb (1 sites, 2024)
Supaul	Fluoride, Nitrate, Iron, Arsenic	Iron	7.2	Fluoride 1.6 mg/L (1 sites, 2025); Nitrate 58 mg/L (1 sites, 2025); Iron 1.06 to 7.16 mg/L (7 sites, 2024); Arsenic 10.74 to 12.35 ppb (4 sites, 2024)
Vaishali	Salinity (EC), Nitrate, Iron	Iron	2.7	Salinity (EC) 3620 uS/cm (1 sites, 2024); Nitrate 65 mg/L (1 sites, 2025); Iron 1.01 to 2.73 mg/L (5 sites, 2024)
West Champaran	Nitrate, Iron, Arsenic	Iron	12.9	Nitrate 49 to 53 mg/L (3 sites, 2025); Iron 2.06 to 12.93 mg/L (4 sites, 2024)

Chandigarh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Chandigarh	Manganese	Manganese	3.1	Manganese 0.637 to 0.927 mg/L (2 sites, 2025)

Chhattisgarh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Balod	Nitrate	Nitrate	1.4	Nitrate 61 mg/L (1 sites, 2025)
Balodabazar	Nitrate, Iron	Nitrate	1.5	Nitrate 48 to 68 mg/L (4 sites, 2024)
Balrampur	Nitrate, Iron	Nitrate	1.1	Nitrate 47 to 49 mg/L (2 sites, 2025)
Bastar	Fluoride, Iron	Fluoride	1.3	Fluoride 1.9 mg/L (1 sites, 2025)
Bemetara	Salinity (EC), Nitrate	Salinity (EC)	1.6	Salinity (EC) 4810 uS/cm (1 sites, 2024); Nitrate 49 mg/L (2 sites, 2025)
Bijapur	not listed in CGWB exceedance annexures			no measured range published
Bilaspur	Fluoride, Nitrate, Iron	Nitrate	4.2	Fluoride 3.21 mg/L (1 sites, 2025); Nitrate 48 to 188 mg/L (5 sites, 2024)

Dakshin Bastar Dantewada	not listed in CGWB exceedance annexures			no measured range published
Dhamtari	Fluoride, Nitrate, Iron	Fluoride	1.5	Fluoride 1.62 to 2.32 mg/L (4 sites, 2025); Nitrate 45 mg/L (1 sites, 2025)
Durg	Nitrate, Iron	Nitrate	1.5	Nitrate 46 to 47 mg/L (2 sites, 2025)
Gariaband	not listed in CGWB exceedance annexures			no measured range published
Gariyabandh	Fluoride, Nitrate, Iron	Nitrate	1.4	Fluoride 1.79 mg/L (1 sites, 2025); Nitrate 46 to 49 mg/L (2 sites, 2025)
Janjgir-Champa	Salinity (EC), Fluoride, Nitrate, Iron	Salinity (EC)	1.4	Salinity (EC) 4280 uS/cm (1 sites, 2025); Nitrate 46 mg/L (1 sites, 2025)
Jashpur	Nitrate	Nitrate	1.3	Nitrate 46 to 58 mg/L (10 sites, 2024)
Kabeerdham	Nitrate, Iron	Nitrate	1.3	Nitrate 47 to 54 mg/L (2 sites, 2025)
Kondagaon	Iron			no measured range published
Korba	Fluoride, Nitrate, Iron, Uranium	Uranium	3.8	Fluoride 1.54 to 1.82 mg/L (2 sites, 2025); Nitrate 47 mg/L (1 sites, 2025); Uranium 36.4 ppb (1 sites, 2025)
Koriya	Fluoride, Nitrate, Iron, Arsenic, Uranium	Fluoride	2.9	Fluoride 3.5 mg/L (1 sites, 2025); Nitrate 49 mg/L (1 sites, 2024); Uranium 31.6 to 41.2 ppb (2 sites, 2025)
Mahasamund	Fluoride, Nitrate, Iron	Fluoride	1.6	Fluoride 1.8 to 2.4 mg/L (2 sites, 2025); Nitrate 46 to 58 mg/L (4 sites, 2025)
Mungeli	Salinity (EC), Nitrate, Iron	Salinity (EC)	1.7	Salinity (EC) 5120 uS/cm (1 sites, 2024); Nitrate 45 mg/L (1 sites, 2025)
Narayanpur	not listed in CGWB exceedance annexures			no measured range published
Raigarh	Fluoride, Nitrate, Arsenic, Uranium	Uranium	3.8	Fluoride 2.48 mg/L (2 sites, 2024); Nitrate 53 mg/L (1 sites, 2025); Uranium 114.9 ppb (2 sites, 2024)
Raipur	Nitrate, Iron, Arsenic	Nitrate	1.4	Nitrate 45 to 56 mg/L (5 sites, 2025)
Rajnandgaon	Fluoride, Nitrate, Iron	Fluoride	1.7	Fluoride 1.6 to 2.48 mg/L (3 sites, 2024); Nitrate 45 to 51 mg/L (4 sites, 2025)
Sukma	not listed in CGWB exceedance annexures			no measured range published
Surajpur	Fluoride, Nitrate, Iron, Uranium	Fluoride	1.9	Fluoride 2.89 mg/L (1 sites, 2024); Nitrate 45 to 58 mg/L (3 sites, 2025); Uranium 36.5 ppb (1 sites, 2025)
Surguja	Nitrate, Iron	Nitrate	1.0	Nitrate 46 mg/L (1 sites, 2024)
Uttar Bastar Kanker	Fluoride, Nitrate	Nitrate	1.2	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 52 mg/L (1 sites, 2024)

Dadra & Nagar Haveli

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Dadra and Nagar Haveli	not listed in CGWB exceedance annexures			no measured range published
Daman	not listed in CGWB exceedance annexures			no measured range published
Diu	Salinity (EC)	Salinity (EC)	5.0	Salinity (EC) 14980 uS/cm (1 sites, 2025)

Delhi

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
----------	-------------	-----------------	---------	------------------------------------

Central	Salinity (EC), Nitrate, Manganese	Nitrate	10.7	Salinity (EC) 5140 uS/cm (1 sites, 2025); Nitrate 115 to 480 mg/L (2 sites, 2025); Manganese 0.428 to 0.596 mg/L (2 sites, 2025)
Delhi	not listed in CGWB exceedance annexures			no measured range published
East	Nitrate, Iron, Arsenic	Nitrate	2.2	Nitrate 55 to 100 mg/L (2 sites, 2025); Iron 1.291 mg/L (1 sites, 2025); Arsenic 10.704 to 11.499 ppb (2 sites, 2024)
New Delhi	Fluoride, Nitrate	Nitrate	2.9	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 130 mg/L (1 sites, 2024)
North	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese, Lead	Lead	5.3	Salinity (EC) 3240 to 6200 uS/cm (9 sites, 2025); Fluoride 1.55 to 2.1 mg/L (6 sites, 2025); Nitrate 84 to 205 mg/L (3 sites, 2025); Iron 1.982 to 2.027 mg/L (2 sites, 2025); Uranium 36.2 to 42 ppb (3 sites, 2025); Manganese 0.387 mg/L (1 sites, 2025); Lead 0.053 mg/L (1 sites, 2025)
North East	Salinity (EC)	Salinity (EC)	1.1	Salinity (EC) 3220 uS/cm (1 sites, 2025)
North West	Salinity (EC), Fluoride, Nitrate, Uranium, Manganese, Lead	Nitrate	22.1	Salinity (EC) 3640 to 10940 uS/cm (10 sites, 2025); Fluoride 1.67 to 4.02 mg/L (7 sites, 2025); Nitrate 88 to 290 mg/L (7 sites, 2025); Uranium 40 to 59 ppb (4 sites, 2025); Manganese 0.307 to 0.596 mg/L (5 sites, 2025); Lead 0.056 mg/L (2 sites, 2025)
Shahdara	Salinity (EC), Fluoride	Salinity (EC)	1.2	Salinity (EC) 3600 uS/cm (1 sites, 2024); Fluoride 1.7 mg/L (1 sites, 2024)
South	Fluoride, Nitrate, Uranium, Manganese	Nitrate	4.4	Fluoride 2 mg/L (1 sites, 2024); Nitrate 50 to 120 mg/L (3 sites, 2025); Uranium 31.49 ppb (1 sites, 2024); Manganese 0.473 to 0.52 mg/L (3 sites, 2025)
South East	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Arsenic	7.4	Salinity (EC) 3560 uS/cm (1 sites, 2025); Fluoride 2.69 mg/L (1 sites, 2025); Nitrate 50 mg/L (1 sites, 2025); Iron 1.842 to 3.233 mg/L (4 sites, 2025); Arsenic 74.471 ppb (1 sites, 2024); Uranium 36.82 ppb (1 sites, 2024)
South West	Salinity (EC), Fluoride, Nitrate, Uranium, Manganese, Lead	Nitrate	10.2	Salinity (EC) 3470 to 12810 uS/cm (15 sites, 2025); Fluoride 1.6 to 2.2 mg/L (4 sites, 2025); Nitrate 55 to 460 mg/L (5 sites, 2025); Uranium 40 to 52 ppb (5 sites, 2025); Manganese 0.303 to 0.539 mg/L (3 sites, 2025); Lead 0.011 to 0.065 mg/L (3 sites, 2025)
West	Salinity (EC), Fluoride, Nitrate, Uranium, Manganese, Lead	Lead	5.6	Salinity (EC) 5080 to 16780 uS/cm (5 sites, 2025); Fluoride 1.68 to 3.1 mg/L (4 sites, 2025); Nitrate 70 to 110 mg/L (3 sites, 2025); Uranium 40.27 ppb (1 sites, 2024); Manganese 0.53 to 0.558 mg/L (3 sites, 2025); Lead 0.056 mg/L (2 sites, 2025)

Goa

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
North Goa	Nitrate, Manganese	Nitrate	2.1	Nitrate 96 mg/L (1 sites, 2025); Manganese 0.565 mg/L (1 sites, 2025)
South Goa	not listed in CGWB exceedance annexures			no measured range published

Gujarat

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Ahmedabad	Salinity (EC), Fluoride, Nitrate	Nitrate	10.2	Salinity (EC) 4982 to 7349 uS/cm (2 sites, 2025); Fluoride 3.4 to 6 mg/L (2 sites, 2025); Nitrate 457 mg/L (1 sites, 2025)
Amreli	Salinity (EC), Fluoride, Nitrate	Nitrate	4.8	Salinity (EC) 6972 to 10700 uS/cm (2 sites, 2025); Fluoride 2.25 mg/L (1 sites, 2024); Nitrate 81 to 214 mg/L (2 sites, 2025)
Anand	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	4.4	Salinity (EC) 4347 uS/cm (1 sites, 2025); Fluoride 1.58 mg/L (1 sites, 2025); Nitrate 129 mg/L (1 sites, 2025); Iron 1.45 mg/L (1 sites, 2024)
Aravalli	Fluoride, Nitrate	Nitrate	3.3	Fluoride 1.8 mg/L (1 sites, 2024); Nitrate 63 to 147 mg/L (5 sites, 2025)

Banaskantha	Salinity (EC), Fluoride, Nitrate, Iron	Fluoride	2.9	Salinity (EC) 4004 to 6895 uS/cm (2 sites, 2025); Fluoride 2.34 mg/L (1 sites, 2025); Nitrate 52 to 79 mg/L (4 sites, 2025); Iron 1.818 mg/L (1 sites, 2025)
Bharuch	Salinity (EC), Nitrate, Iron	Nitrate	4.4	Salinity (EC) 4113 to 5986 uS/cm (2 sites, 2025); Nitrate 187 mg/L (1 sites, 2025); Iron 1.26 mg/L (1 sites, 2024)
Bhavnagar	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Fluoride	3.8	Salinity (EC) 4491 uS/cm (1 sites, 2025); Fluoride 2.2 to 5.74 mg/L (2 sites, 2025); Nitrate 142 mg/L (1 sites, 2025); Iron 1.6 mg/L (1 sites, 2024); Uranium 54.1 ppb (1 sites, 2025)
Botad	Salinity (EC), Fluoride, Uranium	Fluoride	3.9	Salinity (EC) 4125 uS/cm (1 sites, 2025); Fluoride 5.65 mg/L (1 sites, 2025); Uranium 48.2 ppb (1 sites, 2025)
Chhota Udepur	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	2.5	Salinity (EC) 4054 uS/cm (1 sites, 2025); Fluoride 2.32 to 2.6 mg/L (2 sites, 2025); Nitrate 114 mg/L (1 sites, 2025); Iron 1.17 mg/L (1 sites, 2024)
Dahod	Fluoride, Nitrate, Iron	Nitrate	3.2	Fluoride 1.9 to 2.95 mg/L (2 sites, 2025); Nitrate 99 to 145 mg/L (2 sites, 2025); Iron 1.04 to 1.42 mg/L (3 sites, 2024)
Dang	not listed in CGWB exceedance annexures			no measured range published
Devbhumi Dwarka	Salinity (EC), Fluoride, Nitrate	Nitrate	11.4	Salinity (EC) 3159 to 12150 uS/cm (11 sites, 2025); Fluoride 1.62 to 2.25 mg/L (3 sites, 2025); Nitrate 51 to 515 mg/L (14 sites, 2025)
Gandhinagar	not listed in CGWB exceedance annexures			no measured range published
Gir Somnath	Salinity (EC), Fluoride, Nitrate	Nitrate	1.9	Salinity (EC) 3043 uS/cm (1 sites, 2024); Fluoride 2.06 to 2.3 mg/L (2 sites, 2025); Nitrate 48 to 84 mg/L (2 sites, 2025)
Jamnagar	Salinity (EC), Fluoride, Nitrate, Iron	Fluoride	3.8	Salinity (EC) 4688 to 9620 uS/cm (2 sites, 2025); Fluoride 5.7 mg/L (1 sites, 2024); Nitrate 52 to 135 mg/L (2 sites, 2025); Iron 1.45 mg/L (1 sites, 2024)
Junagadh	Salinity (EC), Fluoride, Nitrate	Salinity (EC)	4.8	Salinity (EC) 3175 to 14300 uS/cm (5 sites, 2025); Fluoride 2.08 mg/L (1 sites, 2025); Nitrate 65 to 122 mg/L (3 sites, 2025)
Kachchh	Salinity (EC), Fluoride, Nitrate	Fluoride	5.1	Salinity (EC) 3387 to 9598 uS/cm (10 sites, 2025); Fluoride 1.58 to 6.37 mg/L (4 sites, 2025); Nitrate 52 to 92 mg/L (3 sites, 2025)
Kheda	Salinity (EC), Nitrate	Nitrate	4.4	Salinity (EC) 3044 uS/cm (1 sites, 2025); Nitrate 199 mg/L (1 sites, 2025)
Mahisagar	not listed in CGWB exceedance annexures			no measured range published
Mehsana	Salinity (EC), Fluoride, Arsenic	Salinity (EC)	1.4	Salinity (EC) 3016 uS/cm (1 sites, 2025); Fluoride 1.78 mg/L (1 sites, 2025)
Morbi	Salinity (EC), Fluoride, Nitrate	Nitrate	2.6	Salinity (EC) 3201 uS/cm (1 sites, 2025); Fluoride 2.16 mg/L (1 sites, 2025); Nitrate 82 to 115 mg/L (2 sites, 2024)
Narmada	Salinity (EC), Fluoride	Fluoride	1.4	Salinity (EC) 3564 uS/cm (1 sites, 2024); Fluoride 2.1 mg/L (1 sites, 2024)
Navsari	Salinity (EC)	Salinity (EC)	1.1	Salinity (EC) 3202 uS/cm (1 sites, 2024)
Panchmahal	Fluoride, Nitrate, Iron	Nitrate	12.2	Fluoride 4.1 mg/L (1 sites, 2025); Nitrate 301 to 550 mg/L (2 sites, 2025); Iron 1.04 to 1.06 mg/L (2 sites, 2024)
Patan	Salinity (EC), Fluoride, Uranium, Manganese	Salinity (EC)	11.0	Salinity (EC) 6994 to 32970 uS/cm (3 sites, 2025); Fluoride 1.53 to 9.1 mg/L (2 sites, 2025); Uranium 41.2 ppb (1 sites, 2025); Manganese 0.378 mg/L (1 sites, 2025)
Porbandar	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	10.8	Salinity (EC) 3085 to 9966 uS/cm (7 sites, 2025); Fluoride 1.72 to 1.86 mg/L (3 sites, 2025); Nitrate 54 to 484 mg/L (5 sites, 2025); Iron 1.778 mg/L (1 sites, 2025)
Rajkot	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	17.2	Salinity (EC) 3110 to 7906 uS/cm (3 sites, 2025); Fluoride 2.67 to 3.44 mg/L (2 sites, 2025); Nitrate 47 to 410 mg/L (4 sites, 2025)
Sabarkantha	Salinity (EC), Fluoride, Nitrate	Nitrate	8.8	Salinity (EC) 3403 to 5043 uS/cm (3 sites, 2025); Fluoride 1.53 to 5.15 mg/L (7 sites, 2025); Nitrate 51 to 331 mg/L (14 sites, 2025)

Surat	Fluoride, Nitrate	Fluoride	2.5	Fluoride 1.56 to 3.8 mg/L (3 sites, 2024); Nitrate 45 to 63 mg/L (2 sites, 2024)
Surendranagar	Salinity (EC), Fluoride, Nitrate, Manganese	Nitrate	19.2	Salinity (EC) 3053 to 17060 uS/cm (11 sites, 2025); Fluoride 1.86 to 5.42 mg/L (8 sites, 2025); Nitrate 59 to 866 mg/L (9 sites, 2025); Manganese 0.499 mg/L (1 sites, 2025)
Tapi	Nitrate	Nitrate	1.2	Nitrate 55 mg/L (1 sites, 2024)
Vadodara	Salinity (EC), Fluoride, Nitrate	Fluoride	1.7	Salinity (EC) 3477 to 4230 uS/cm (2 sites, 2025); Fluoride 1.56 to 2.5 mg/L (4 sites, 2024); Nitrate 62 mg/L (1 sites, 2025)
Valsad	Salinity (EC), Nitrate	Salinity (EC)	1.5	Salinity (EC) 4604 uS/cm (1 sites, 2024); Nitrate 48 mg/L (1 sites, 2024)

Haryana

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Ambala	Salinity (EC), Nitrate, Iron, Uranium	Nitrate	7.2	Salinity (EC) 3533 uS/cm (1 sites, 2025); Nitrate 320 mg/L (1 sites, 2025); Iron 1.13 to 6.09 mg/L (2 sites, 2024); Uranium 30.4 ppb (1 sites, 2025)
Bhiwani	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Fluoride	10.7	Salinity (EC) 3055 to 7520 uS/cm (4 sites, 2025); Fluoride 1.9 mg/L (1 sites, 2025); Nitrate 85 to 180 mg/L (2 sites, 2025); Iron 1.59 mg/L (1 sites, 2024); Arsenic 15.355 ppb (1 sites, 2024); Uranium 33.08 to 76.37 ppb (4 sites, 2024); Manganese 0.31 mg/L (1 sites, 2025)
Charkhi Dadri	Salinity (EC), Fluoride, Nitrate	Salinity (EC)	2.4	Salinity (EC) 5932 to 6800 uS/cm (2 sites, 2025); Fluoride 2.8 to 3 mg/L (2 sites, 2024); Nitrate 61 mg/L (1 sites, 2025)
Faridabad	Salinity (EC), Nitrate, Iron, Uranium	Nitrate	2.3	Salinity (EC) 3010 to 3944 uS/cm (3 sites, 2025); Nitrate 52 to 96 mg/L (2 sites, 2025); Iron 1.12 to 1.6 mg/L (2 sites, 2024); Uranium 43.6 ppb (1 sites, 2025)
Fatehabad	Salinity (EC), Fluoride, Nitrate, Arsenic, Uranium	Fluoride	5.8	Salinity (EC) 3480 to 15540 uS/cm (10 sites, 2024); Fluoride 1.8 mg/L (1 sites, 2025); Nitrate 109 mg/L (1 sites, 2025); Arsenic 47.798 ppb (1 sites, 2024); Uranium 30.03 to 68.32 ppb (8 sites, 2024)
Gurugram	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	8.8	Salinity (EC) 3207 to 17220 uS/cm (6 sites, 2025); Fluoride 2.21 mg/L (1 sites, 2025); Nitrate 48 to 396 mg/L (8 sites, 2025); Uranium 39.5 to 71.34 ppb (2 sites, 2024)
Hisar	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	17.4	Salinity (EC) 3086 to 11150 uS/cm (19 sites, 2024); Fluoride 1.7 to 9.8 mg/L (14 sites, 2024); Nitrate 65 to 781 mg/L (2 sites, 2024); Iron 5.93 mg/L (1 sites, 2024); Uranium 30.89 to 110.91 ppb (7 sites, 2024)
Jhajjar	Salinity (EC), Fluoride, Nitrate, Uranium	Salinity (EC)	7.8	Salinity (EC) 4260 to 9018 uS/cm (3 sites, 2025); Fluoride 1.9 mg/L (1 sites, 2025); Nitrate 86 mg/L (1 sites, 2025); Uranium 34.24 to 66.67 ppb (3 sites, 2024)
Jind	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	16.0	Salinity (EC) 12030 uS/cm (1 sites, 2025); Fluoride 1.6 to 1.8 mg/L (3 sites, 2025); Nitrate 50 to 721 mg/L (3 sites, 2025); Uranium 33.4 to 36.8 ppb (3 sites, 2025)
Kaithal	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	5.2	Salinity (EC) 5082 uS/cm (1 sites, 2025); Fluoride 2.7 mg/L (1 sites, 2025); Nitrate 98 mg/L (1 sites, 2025); Iron 2.598 mg/L (1 sites, 2025); Uranium 31.9 to 56.8 ppb (8 sites, 2025)
Karnal	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Nitrate	10.7	Salinity (EC) 3391 uS/cm (1 sites, 2025); Fluoride 1.6 to 9.7 mg/L (12 sites, 2024); Nitrate 169 to 480 mg/L (2 sites, 2025); Iron 7.068 mg/L (1 sites, 2025); Arsenic 10.561 ppb (1 sites, 2024); Uranium 31 to 44.6 ppb (3 sites, 2025)
Kurukshetra	Nitrate, Uranium	Uranium	3.0	Nitrate 55 mg/L (1 sites, 2025); Uranium 39.4 ppb (1 sites, 2025)
Mahendragarh	Salinity (EC), Fluoride, Nitrate	Fluoride	2.7	Salinity (EC) 3661 uS/cm (1 sites, 2025); Fluoride 1.6 to 3 mg/L (3 sites, 2025); Nitrate 49 mg/L (1 sites, 2025)
Nuh	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	7.0	Salinity (EC) 3316 to 19780 uS/cm (12 sites, 2024); Fluoride 1.54 mg/L (1 sites, 2024); Nitrate 51 to 317 mg/L (10 sites, 2024); Uranium 33.92 to 48.99 ppb (3 sites, 2024)
Palwal	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	12.8	Salinity (EC) 3807 to 8817 uS/cm (5 sites, 2025); Fluoride 1.91 to 2.2 mg/L (4 sites, 2025); Nitrate 89 mg/L (1 sites, 2025); Iron 1.22 to 3.71 mg/L (3 sites, 2024); Uranium 59.4 ppb (1 sites, 2025)

Panchkula	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	2.1	Salinity (EC) 3331 uS/cm (1 sites, 2024); Fluoride 1.6 to 2.1 mg/L (2 sites, 2024); Nitrate 72 mg/L (1 sites, 2025); Iron 1.46 mg/L (1 sites, 2024)
Panipat	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Nitrate	10.1	Salinity (EC) 3540 uS/cm (1 sites, 2025); Fluoride 1.61 to 2.4 mg/L (5 sites, 2025); Nitrate 55 to 113 mg/L (3 sites, 2025); Iron 3.584 mg/L (1 sites, 2025); Uranium 39 ppb (1 sites, 2025); Manganese 0.404 mg/L (1 sites, 2025)
Rewari	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	5.1	Salinity (EC) 5276 to 8590 uS/cm (3 sites, 2025); Fluoride 2 mg/L (1 sites, 2025); Nitrate 105 to 230 mg/L (3 sites, 2025); Iron 1.64 mg/L (1 sites, 2024)
Rohtak	Salinity (EC), Fluoride, Nitrate, Arsenic	Nitrate	5.3	Salinity (EC) 3642 to 9106 uS/cm (8 sites, 2024); Fluoride 1.6 mg/L (1 sites, 2025); Nitrate 58 to 240 mg/L (7 sites, 2024); Arsenic 15.555 ppb (1 sites, 2024)
Sirsa	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Fluoride	14.7	Salinity (EC) 3021 uS/cm (1 sites, 2025); Fluoride 2.3 mg/L (1 sites, 2025); Nitrate 48 to 440 mg/L (18 sites, 2024); Iron 1.12 to 2.88 mg/L (3 sites, 2024); Uranium 30.88 to 103.06 ppb (23 sites, 2024)
Sonipat	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Nitrate	11.6	Salinity (EC) 3255 to 5950 uS/cm (4 sites, 2025); Fluoride 1.6 to 2.3 mg/L (2 sites, 2025); Nitrate 57 to 67 mg/L (2 sites, 2025); Iron 1.468 mg/L (1 sites, 2025); Arsenic 18.8 to 22.5 ppb (2 sites, 2025); Uranium 30.6 to 65.9 ppb (5 sites, 2025); Manganese 0.307 to 0.322 mg/L (2 sites, 2025)
Yamunanagar	Nitrate, Iron, Manganese	Iron	16.2	Nitrate 91 mg/L (1 sites, 2025); Iron 1.523 mg/L (1 sites, 2025); Manganese 0.494 mg/L (1 sites, 2025)

Himachal Pradesh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Bilaspur	Nitrate	Nitrate	1.3	Nitrate 58 mg/L (1 sites, 2024)
Chamba	Fluoride	Fluoride	4.4	Fluoride 6.6 mg/L (1 sites, 2025)
Hamirpur	Nitrate, Iron	Nitrate	2.8	Nitrate 124 mg/L (1 sites, 2024); Iron 2.32 mg/L (1 sites, 2024)
Kangra	Nitrate, Iron	Iron	5.1	Nitrate 47 to 48 mg/L (2 sites, 2025); Iron 2.97 to 5.08 mg/L (2 sites, 2024)
Kinnaur	not listed in CGWB exceedance annexures			no measured range published
Kullu	Nitrate	Nitrate	1.6	Nitrate 72 mg/L (1 sites, 2025)
Lahaul and Spiti	not listed in CGWB exceedance annexures			no measured range published
Mandi	Nitrate, Iron	Iron	4.2	Nitrate 80 mg/L (1 sites, 2024); Iron 4.15 mg/L (1 sites, 2024)
Shimla	not listed in CGWB exceedance annexures			no measured range published
Sirmaur	Fluoride, Nitrate, Iron	Iron	6.1	Fluoride 1.6 mg/L (1 sites, 2025); Nitrate 51 to 58 mg/L (2 sites, 2024); Iron 6.06 mg/L (1 sites, 2024)
Solan	Nitrate	Nitrate	1.9	Nitrate 51 to 68 mg/L (3 sites, 2025)
Una	Fluoride, Nitrate, Iron	Nitrate	3.5	Fluoride 3.38 mg/L (1 sites, 2024); Nitrate 47 to 91 mg/L (9 sites, 2025); Iron 1.98 mg/L (1 sites, 2024)

Jammu & Kashmir

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Anantnag	not listed in CGWB exceedance annexures			no measured range published
Bandipora	not listed in CGWB exceedance annexures			no measured range published

Baramulla	Nitrate, Iron, Arsenic	Iron	25.3	Nitrate 66 to 104 mg/L (2 sites, 2025); Iron 1.84 to 25.28 mg/L (3 sites, 2024)
Budgam	not listed in CGWB exceedance annexures			no measured range published
Doda	not listed in CGWB exceedance annexures			no measured range published
Ganderbal	not listed in CGWB exceedance annexures			no measured range published
Jammu	Nitrate, Iron, Arsenic, Uranium, Manganese	Manganese	23.3	Nitrate 47 to 205 mg/L (13 sites, 2025); Iron 1.142 to 3.852 mg/L (2 sites, 2025); Arsenic 11.8 to 26.8 ppb (2 sites, 2025); Uranium 63.7 ppb (1 sites, 2025); Manganese 0.479 to 6.978 mg/L (5 sites, 2025)
Kathua	Nitrate, Iron	Iron	5.8	Iron 1.02 to 5.78 mg/L (7 sites, 2024)
Kishtwar	not listed in CGWB exceedance annexures			no measured range published
Kulgam	not listed in CGWB exceedance annexures			no measured range published
Kupwara	Nitrate, Iron, Arsenic, Manganese	Iron	5.1	Nitrate 55 to 133 mg/L (2 sites, 2025); Iron 4.42 to 5.07 mg/L (2 sites, 2024); Manganese 0.44 mg/L (1 sites, 2025)
Mirpur	not listed in CGWB exceedance annexures			no measured range published
Muzaffarabad	not listed in CGWB exceedance annexures			no measured range published
Pulwama	not listed in CGWB exceedance annexures			no measured range published
Punch	not listed in CGWB exceedance annexures			no measured range published
Rajouri	Nitrate	Nitrate	1.6	Nitrate 70 mg/L (2 sites, 2025)
Ramban	not listed in CGWB exceedance annexures			no measured range published
Reasi	Iron, Manganese	Iron	5.2	Iron 5.241 mg/L (1 sites, 2025); Manganese 1.546 mg/L (1 sites, 2025)
Samba	Nitrate, Iron	Iron	12.7	Nitrate 60 to 185 mg/L (5 sites, 2025); Iron 12.73 mg/L (1 sites, 2024)
Shopiyan	not listed in CGWB exceedance annexures			no measured range published
Srinagar	not listed in CGWB exceedance annexures			no measured range published
Udhampur	Nitrate	Nitrate	3.8	Nitrate 64 to 172 mg/L (2 sites, 2025)

Jharkhand

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Bokaro	Fluoride, Nitrate, Iron	Iron	13.7	Fluoride 1.73 to 2.53 mg/L (3 sites, 2025); Nitrate 58 to 72 mg/L (6 sites, 2025); Iron 1.25 to 13.74 mg/L (4 sites, 2024)
Chatra	Fluoride, Nitrate, Iron	Iron	6.1	Fluoride 1.51 to 1.72 mg/L (2 sites, 2025); Nitrate 47 mg/L (1 sites, 2024); Iron 1.37 to 6.08 mg/L (3 sites, 2024)

Deoghar	Nitrate, Iron	Iron	10.8	Nitrate 46 to 51 mg/L (2 sites, 2025); Iron 10.85 mg/L (1 sites, 2024)
Dhanbad	Fluoride, Nitrate, Iron	Iron	12.4	Fluoride 1.55 mg/L (1 sites, 2024); Nitrate 56 to 105 mg/L (7 sites, 2025); Iron 2.47 to 12.4 mg/L (3 sites, 2024)
Dumka	Nitrate, Iron	Iron	5.5	Nitrate 53 to 56 mg/L (2 sites, 2025); Iron 1.7 to 5.5 mg/L (2 sites, 2024)
East Singhbhum	Iron	Iron	26.6	Iron 1.37 to 26.61 mg/L (5 sites, 2024)
Garhwa	Nitrate	Nitrate	1.2	Nitrate 46 to 50 mg/L (2 sites, 2025)
Giridih	Fluoride, Nitrate, Iron	Iron	9.1	Fluoride 2.01 mg/L (1 sites, 2025); Nitrate 53 to 91 mg/L (10 sites, 2025); Iron 1.11 to 9.12 mg/L (4 sites, 2024)
Godda	Fluoride, Nitrate, Iron	Iron	16.6	Fluoride 1.51 mg/L (1 sites, 2025); Nitrate 49 to 52 mg/L (3 sites, 2025); Iron 16.56 mg/L (1 sites, 2024)
Gumla	Nitrate, Iron	Iron	6.8	Nitrate 50 mg/L (1 sites, 2025); Iron 1.45 to 6.84 mg/L (3 sites, 2024)
Hazaribagh	Fluoride, Nitrate, Iron	Iron	2.2	Fluoride 1.56 mg/L (1 sites, 2025); Nitrate 45 to 51 mg/L (5 sites, 2025); Iron 1.02 to 2.18 mg/L (5 sites, 2024)
Jamtara	Nitrate, Iron	Iron	3.6	Nitrate 61 to 78 mg/L (2 sites, 2025); Iron 1.21 to 3.57 mg/L (3 sites, 2024)
Khunti	Iron	Iron	1.5	Iron 1.27 to 1.53 mg/L (2 sites, 2024)
Koderma	Fluoride, Nitrate, Iron	Iron	4.8	Fluoride 1.56 mg/L (1 sites, 2024); Nitrate 59 to 80 mg/L (4 sites, 2025); Iron 1.79 to 4.8 mg/L (2 sites, 2024)
Latehar	Fluoride, Nitrate, Iron	Iron	15.2	Fluoride 1.91 mg/L (1 sites, 2024); Nitrate 48 to 58 mg/L (3 sites, 2025); Iron 1.03 to 15.16 mg/L (4 sites, 2024)
Lohardaga	Nitrate, Iron	Iron	8.6	Nitrate 48 mg/L (1 sites, 2024); Iron 8.57 mg/L (1 sites, 2024)
Pakur	Iron	Iron	1.4	Iron 1.38 mg/L (1 sites, 2024)
Palamu	Fluoride, Nitrate, Iron	Iron	1.8	Fluoride 1.52 mg/L (1 sites, 2025); Nitrate 47 mg/L (1 sites, 2024); Iron 1.13 to 1.78 mg/L (2 sites, 2024)
Ramgarh	Fluoride, Iron	Iron	23.0	Fluoride 1.51 to 1.68 mg/L (2 sites, 2024); Iron 2.93 to 22.99 mg/L (2 sites, 2024)
Ranchi	Nitrate, Iron	Iron	19.3	Nitrate 46 to 49 mg/L (3 sites, 2025); Iron 1.37 to 19.3 mg/L (5 sites, 2024)
Sahibganj	Nitrate, Iron, Arsenic	Iron	3.2	Nitrate 47 to 78 mg/L (5 sites, 2025); Iron 1.36 to 3.24 mg/L (2 sites, 2024); Arsenic 31.87 ppb (1 sites, 2024)
Saraikela-Kharsawan	not listed in CGWB exceedance annexures			no measured range published
Simdega	Nitrate, Iron	Iron	5.3	Nitrate 47 to 121 mg/L (3 sites, 2024); Iron 1.45 to 5.28 mg/L (4 sites, 2024)
West Singhbhum	Iron	Iron	2.9	Iron 1.49 to 2.88 mg/L (4 sites, 2024)

Karnataka

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Bagalkote	Salinity (EC), Fluoride, Nitrate	Nitrate	3.5	Salinity (EC) 3350 to 10100 uS/cm (6 sites, 2025); Fluoride 1.51 to 3.18 mg/L (5 sites, 2025); Nitrate 55 to 128 mg/L (7 sites, 2025)
Belgaum	Salinity (EC), Nitrate, Manganese	Nitrate	4.7	Salinity (EC) 3070 to 6520 uS/cm (4 sites, 2025); Nitrate 46 to 212 mg/L (16 sites, 2025); Manganese 0.798 mg/L (1 sites, 2025)
Bellary	Salinity (EC), Fluoride, Nitrate, Uranium	Uranium	6.0	Salinity (EC) 4210 uS/cm (1 sites, 2024); Fluoride 1.67 to 4.59 mg/L (4 sites, 2024); Nitrate 136 to 214 mg/L (2 sites, 2024); Uranium 180.1 ppb (1 sites, 2025)
Bengaluru Rural	Fluoride, Nitrate	Nitrate	8.9	Fluoride 1.9 mg/L (1 sites, 2024); Nitrate 50 to 162 mg/L (3 sites, 2025)
Bengaluru Urban	Nitrate, Uranium, Manganese	Manganese	5.2	Nitrate 46 to 64 mg/L (2 sites, 2025); Uranium 55.6 ppb (1 sites, 2025); Manganese 1.573 mg/L (1 sites, 2025)
Bidar	Nitrate	Nitrate	2.8	Nitrate 56 to 125 mg/L (7 sites, 2025)

Bijapur	Salinity (EC), Fluoride, Nitrate	Nitrate	10.8	Salinity (EC) 3100 to 5940 uS/cm (10 sites, 2025); Fluoride 1.52 to 3.66 mg/L (7 sites, 2025); Nitrate 47 to 324 mg/L (17 sites, 2025)
Chamarajanagara	Salinity (EC), Nitrate	Nitrate	2.1	Nitrate 93 mg/L (1 sites, 2025)
Chikkaballapura	Fluoride, Nitrate, Uranium, Manganese	Uranium	16.3	Fluoride 1.53 mg/L (1 sites, 2025); Nitrate 52 to 77 mg/L (2 sites, 2025); Uranium 488.1 ppb (1 sites, 2025); Manganese 1.012 mg/L (1 sites, 2025)
Chikkamagaluru	Salinity (EC)			no measured range published
Chitradurga	Salinity (EC), Fluoride, Nitrate, Manganese	Nitrate	42.8	Salinity (EC) 3610 to 4140 uS/cm (3 sites, 2025); Fluoride 1.53 mg/L (1 sites, 2025); Nitrate 46 to 218 mg/L (5 sites, 2025); Manganese 1.523 mg/L (1 sites, 2025)
Dakshina Kannada	Nitrate, Iron, Manganese	Manganese	3.2	Nitrate 79 mg/L (1 sites, 2025); Iron 1.182 mg/L (1 sites, 2025); Manganese 0.948 mg/L (1 sites, 2025)
Davanagere	Salinity (EC), Fluoride, Nitrate, Manganese	Nitrate	6.5	Salinity (EC) 3780 uS/cm (1 sites, 2024); Fluoride 1.8 mg/L (1 sites, 2025); Nitrate 49 to 292 mg/L (7 sites, 2025); Manganese 0.984 mg/L (1 sites, 2025)
Dharwad	Salinity (EC), Fluoride, Nitrate	Nitrate	21.2	Salinity (EC) 3035 to 8048 uS/cm (3 sites, 2025); Fluoride 1.98 mg/L (1 sites, 2025); Nitrate 120 to 173 mg/L (6 sites, 2025)
Gadag	Salinity (EC), Fluoride, Nitrate, Arsenic	Nitrate	10.6	Salinity (EC) 4012 to 8014 uS/cm (4 sites, 2025); Fluoride 1.61 to 2.04 mg/L (8 sites, 2025); Nitrate 48 to 184 mg/L (13 sites, 2025); Arsenic 10.7 ppb (1 sites, 2025)
Gulbarga	Fluoride, Nitrate	Nitrate	5.0	Fluoride 1.87 to 2.26 mg/L (2 sites, 2025); Nitrate 46 to 168 mg/L (10 sites, 2025)
Hassan	Nitrate, Manganese	Nitrate	2.1	Nitrate 46 to 74 mg/L (4 sites, 2025); Manganese 0.438 to 0.601 mg/L (2 sites, 2025)
Haveri	Fluoride, Nitrate	Nitrate	2.7	Fluoride 1.75 mg/L (1 sites, 2025); Nitrate 66 to 123 mg/L (3 sites, 2025)
Kodagu	Nitrate, Manganese	Nitrate	2.1	Nitrate 61 to 94 mg/L (2 sites, 2024); Manganese 0.437 mg/L (1 sites, 2025)
Kolar	Fluoride, Nitrate, Uranium, Manganese	Nitrate	13.3	Fluoride 1.7 to 2.4 mg/L (4 sites, 2024); Nitrate 47 to 598 mg/L (13 sites, 2024); Uranium 241.8 ppb (1 sites, 2024); Manganese 2.289 mg/L (1 sites, 2025)
Koppal	Salinity (EC), Fluoride, Nitrate	Nitrate	14.3	Salinity (EC) 4280 to 5900 uS/cm (3 sites, 2025); Fluoride 1.56 to 2.21 mg/L (3 sites, 2025); Nitrate 82 to 644 mg/L (4 sites, 2025)
Mandya	Fluoride, Nitrate, Manganese	Manganese	12.6	Fluoride 1.78 mg/L (1 sites, 2024); Nitrate 80 to 161 mg/L (2 sites, 2025); Manganese 3.767 mg/L (1 sites, 2025)
Mysore	Fluoride, Nitrate	Nitrate	4.9	Fluoride 4.58 mg/L (1 sites, 2025); Nitrate 67 to 221 mg/L (5 sites, 2025)
Raichur	Salinity (EC), Fluoride, Nitrate, Arsenic, Uranium, Lead	Lead	35.6	Salinity (EC) 3560 to 6600 uS/cm (6 sites, 2025); Fluoride 2.09 to 3.77 mg/L (8 sites, 2025); Nitrate 66 to 493 mg/L (6 sites, 2025); Arsenic 20.6 ppb (1 sites, 2025); Uranium 32.2 to 53.2 ppb (6 sites, 2025); Lead 0.356 mg/L (1 sites, 2025)
Ramanagara	Fluoride, Nitrate	Nitrate	2.0	Fluoride 2.12 mg/L (1 sites, 2025); Nitrate 46 to 89 mg/L (4 sites, 2024)
Shivamogga	Nitrate, Manganese	Manganese	1.3	Nitrate 45 mg/L (1 sites, 2025); Manganese 0.388 mg/L (1 sites, 2025)
Tumkur	Salinity (EC), Fluoride, Nitrate, Uranium, Manganese	Uranium	21.4	Salinity (EC) 3720 uS/cm (1 sites, 2025); Fluoride 2.21 to 4.64 mg/L (5 sites, 2024); Nitrate 71 mg/L (1 sites, 2025); Uranium 65.1 to 643.2 ppb (2 sites, 2024); Manganese 0.351 to 0.761 mg/L (2 sites, 2025)
Udupi	Iron	Iron	16.1	Iron 1.42 mg/L (1 sites, 2025)
Uttara Kannada	Nitrate, Iron, Manganese	Manganese	3.8	Nitrate 77 mg/L (1 sites, 2024); Iron 2.939 mg/L (1 sites, 2025); Manganese 0.598 to 1.146 mg/L (2 sites, 2025)
Vijayanagara	Salinity (EC), Fluoride, Nitrate, Uranium	Uranium	11.8	Salinity (EC) 3070 to 4510 uS/cm (2 sites, 2024); Fluoride 1.8 mg/L (1 sites, 2024); Nitrate 115 to 200 mg/L (2 sites, 2024); Uranium 353.1 ppb (1 sites, 2025)
Yadgir	Salinity (EC), Fluoride, Nitrate	Nitrate	6.7	Salinity (EC) 3130 uS/cm (1 sites, 2025); Fluoride 1.74 to 2.28 mg/L (2 sites, 2025); Nitrate 55 mg/L (1 sites, 2025)

Kerala

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Alappuzha	Nitrate, Iron	Iron	3.4	Nitrate 80 to 129 mg/L (2 sites, 2024); Iron 1.51 to 3.2 mg/L (2 sites, 2025)
Ernakulam	Nitrate, Iron	Iron	2.9	Nitrate 69 mg/L (1 sites, 2025); Iron 1.59 to 2.88 mg/L (2 sites, 2024)
Idukki	Nitrate, Iron	Iron	10.2	Nitrate 55 to 68 mg/L (2 sites, 2025); Iron 1.04 to 7.88 mg/L (3 sites, 2025)
Kannur	Nitrate	Nitrate	1.4	Nitrate 56 mg/L (1 sites, 2025)
Kasaragod	Nitrate, Iron	Iron	11.7	Nitrate 46 mg/L (1 sites, 2025); Iron 2.089 mg/L (1 sites, 2025)
Kollam	Nitrate, Iron, Arsenic	Iron	9.6	Nitrate 48 mg/L (1 sites, 2025); Iron 1.18 to 3.22 mg/L (2 sites, 2025); Arsenic 11.433 ppb (1 sites, 2024)
Kottayam	Nitrate, Iron	Nitrate	1.6	Nitrate 71 mg/L (1 sites, 2025); Iron 1.04 mg/L (1 sites, 2025)
Kozhikode	Nitrate, Iron	Iron	3.0	Nitrate 90 mg/L (1 sites, 2025); Iron 3.01 mg/L (1 sites, 2025)
Malappuram	Nitrate, Iron	Iron	15.5	Nitrate 62 to 89 mg/L (5 sites, 2025); Iron 1.096 mg/L (1 sites, 2025)
Palakkad	Fluoride, Nitrate, Iron	Iron	4.2	Fluoride 1.68 to 2.02 mg/L (2 sites, 2025); Nitrate 56 to 64 mg/L (2 sites, 2025); Iron 1.16 to 4.22 mg/L (6 sites, 2025)
Pathanamthitta	Nitrate	Nitrate	1.8	Nitrate 51 to 56 mg/L (2 sites, 2025)
Thiruvananthapuram	Nitrate, Iron	Nitrate	3.4	Nitrate 50 to 148 mg/L (9 sites, 2025); Iron 3.07 mg/L (1 sites, 2025)
Thrissur	Nitrate, Iron	Iron	31.9	Nitrate 60 to 101 mg/L (5 sites, 2025); Iron 7.53 to 7.62 mg/L (2 sites, 2025)
Wayanad	Nitrate, Iron	Nitrate	1.4	Nitrate 62 mg/L (1 sites, 2025); Iron 1.178 mg/L (1 sites, 2025)

Ladakh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Kargil	not listed in CGWB exceedance annexures			no measured range published
Leh	not listed in CGWB exceedance annexures			no measured range published

Lakshadweep

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Lakshadweep	not listed in CGWB exceedance annexures			no measured range published

Madhya Pradesh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Agar malwa	Nitrate, Iron	Iron	2.3	Nitrate 52 to 69 mg/L (2 sites, 2025); Iron 2.341 mg/L (1 sites, 2025)
Alirajpur	Fluoride, Nitrate	Nitrate	1.3	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 60 mg/L (1 sites, 2025)
Anuppur	Nitrate	Nitrate	3.0	Nitrate 46 to 135 mg/L (2 sites, 2024)
Ashok Nagar	Iron	Iron	2.5	Iron 1.369 mg/L (1 sites, 2025)
Balaghat	Nitrate, Iron	Iron	2.2	Nitrate 63 mg/L (1 sites, 2025); Iron 1.04 to 2.2 mg/L (6 sites, 2024)
Barwani	Nitrate	Nitrate	2.6	Nitrate 70 to 90 mg/L (3 sites, 2025)

Betul	Fluoride, Nitrate	Nitrate	4.4	Fluoride 2.7 mg/L (1 sites, 2025); Nitrate 95 to 200 mg/L (6 sites, 2025)
Bhind	Salinity (EC), Nitrate, Lead	Nitrate	3.4	Salinity (EC) 3573 uS/cm (1 sites, 2024); Nitrate 75 mg/L (1 sites, 2025); Lead 0.011 mg/L (1 sites, 2025)
Bhopal	not listed in CGWB exceedance annexures			no measured range published
Burhanpur	Nitrate, Iron, Lead	Lead	5.7	Nitrate 47 to 190 mg/L (7 sites, 2025); Iron 1.042 mg/L (1 sites, 2025); Lead 0.057 mg/L (1 sites, 2025)
Chhatarpur	Nitrate, Uranium, Manganese	Nitrate	2.0	Nitrate 88 mg/L (1 sites, 2025); Uranium 45.55 ppb (1 sites, 2024); Manganese 0.382 to 0.474 mg/L (2 sites, 2025)
Chhindwara	Fluoride, Nitrate, Iron, Manganese	Manganese	5.2	Fluoride 1.54 mg/L (1 sites, 2024); Nitrate 48 to 86 mg/L (3 sites, 2025); Iron 2.203 mg/L (1 sites, 2025); Manganese 0.31 to 1.572 mg/L (3 sites, 2025)
Damoh	Nitrate, Iron	Iron	1.5	Nitrate 52 to 66 mg/L (4 sites, 2025); Iron 1.54 mg/L (1 sites, 2024)
Datia	Salinity (EC), Nitrate, Uranium, Lead	Lead	2.2	Salinity (EC) 3573 uS/cm (1 sites, 2024); Nitrate 52 mg/L (1 sites, 2025); Uranium 42.68 ppb (1 sites, 2024); Lead 0.022 mg/L (1 sites, 2025)
Dewas	Fluoride, Nitrate	Nitrate	1.9	Fluoride 1.59 mg/L (1 sites, 2025); Nitrate 55 to 85 mg/L (4 sites, 2025)
Dhar	Fluoride, Nitrate, Manganese	Nitrate	2.7	Fluoride 1.71 mg/L (1 sites, 2024); Nitrate 47 to 120 mg/L (9 sites, 2025); Manganese 0.316 mg/L (1 sites, 2025)
Dindori	Fluoride, Manganese	Manganese	1.1	Fluoride 1.56 mg/L (1 sites, 2025); Manganese 0.322 mg/L (1 sites, 2025)
Guna	Nitrate, Lead	Nitrate	2.8	Nitrate 46 to 125 mg/L (4 sites, 2025); Lead 0.017 mg/L (1 sites, 2025)
Gwalior	Salinity (EC), Nitrate, Iron, Arsenic, Uranium, Manganese	Nitrate	5.8	Salinity (EC) 3256 uS/cm (1 sites, 2025); Nitrate 52 to 112 mg/L (4 sites, 2025); Iron 1.859 mg/L (1 sites, 2025); Arsenic 18 ppb (1 sites, 2025); Uranium 81.9 ppb (1 sites, 2025); Manganese 0.746 mg/L (1 sites, 2025)
Harda	Fluoride, Nitrate	Nitrate	3.2	Fluoride 1.98 mg/L (1 sites, 2025); Nitrate 140 mg/L (1 sites, 2025)
Hoshangabad	Salinity (EC)	Salinity (EC)	1.0	Salinity (EC) 3145 uS/cm (1 sites, 2025)
Indore	Salinity (EC), Nitrate	Nitrate	2.1	Salinity (EC) 3700 uS/cm (1 sites, 2025); Nitrate 48 to 94 mg/L (2 sites, 2025)
Jabalpur	Nitrate, Arsenic, Manganese	Nitrate	1.9	Nitrate 65 to 85 mg/L (2 sites, 2025); Arsenic 16.3 ppb (1 sites, 2025); Manganese 0.319 to 0.452 mg/L (2 sites, 2025)
Jhabua	Nitrate	Nitrate	2.5	Nitrate 112 mg/L (1 sites, 2025)
Katni	Fluoride, Nitrate	Nitrate	3.2	Fluoride 2.46 mg/L (1 sites, 2024); Nitrate 54 to 144 mg/L (5 sites, 2025)
Khandwa	Nitrate, Iron	Iron	2.2	Nitrate 46 to 89 mg/L (7 sites, 2025); Iron 1.114 mg/L (1 sites, 2025)
Khargone	Nitrate	Nitrate	4.6	Nitrate 52 to 88 mg/L (8 sites, 2025)
Mandla	Fluoride, Nitrate, Manganese	Fluoride	1.5	Fluoride 2.3 mg/L (1 sites, 2024); Nitrate 46 mg/L (1 sites, 2025); Manganese 0.325 mg/L (1 sites, 2025)
Mandsaur	Nitrate, Manganese	Manganese	4.8	Nitrate 52 to 123 mg/L (7 sites, 2025); Manganese 1.437 mg/L (1 sites, 2025)
Morena	Nitrate	Nitrate	5.6	Nitrate 75 to 123 mg/L (2 sites, 2025)
Narsinghpur	Nitrate	Nitrate	2.3	Nitrate 58 to 104 mg/L (2 sites, 2024)
Neemuch	Salinity (EC), Nitrate, Iron, Manganese	Nitrate	7.7	Salinity (EC) 3498 uS/cm (1 sites, 2024); Nitrate 287 mg/L (1 sites, 2025); Iron 1.231 to 2.529 mg/L (2 sites, 2025); Manganese 0.384 mg/L (1 sites, 2025)
Niwari	not listed in CGWB exceedance annexures			no measured range published
Panna	Nitrate, Iron, Manganese	Nitrate	2.9	Nitrate 60 to 132 mg/L (4 sites, 2025); Iron 1.09 mg/L (1 sites, 2024); Manganese 0.379 mg/L (1 sites, 2025)
Raisen	Nitrate	Nitrate	3.0	Nitrate 48 to 134 mg/L (2 sites, 2025)
Rajgarh	Nitrate, Manganese	Nitrate	3.0	Nitrate 52 to 56 mg/L (2 sites, 2025); Manganese 0.417 mg/L (1 sites, 2025)

Ratlam	Nitrate, Iron, Manganese	Nitrate	2.7	Nitrate 46 to 88 mg/L (7 sites, 2025); Iron 1.328 to 2.566 mg/L (4 sites, 2025); Manganese 0.449 mg/L (1 sites, 2025)
Rewa	Nitrate	Nitrate	1.6	Nitrate 53 to 71 mg/L (2 sites, 2025)
Sagar	Nitrate, Iron, Arsenic, Manganese, Lead	Iron	17.9	Nitrate 52 to 168 mg/L (5 sites, 2025); Iron 3.419 to 17.876 mg/L (2 sites, 2025); Arsenic 18.9 ppb (1 sites, 2025); Manganese 0.533 mg/L (1 sites, 2025); Lead 0.108 mg/L (1 sites, 2025)
Satna	Nitrate	Nitrate	2.1	Nitrate 55 to 93 mg/L (4 sites, 2025)
Sehore	Nitrate, Iron, Lead	Iron	2.4	Nitrate 55 mg/L (1 sites, 2025); Iron 1.964 mg/L (1 sites, 2025); Lead 0.015 mg/L (1 sites, 2025)
Seoni	Fluoride, Iron, Manganese	Manganese	2.3	Fluoride 1.67 to 2.65 mg/L (2 sites, 2025); Iron 1.968 mg/L (1 sites, 2025); Manganese 0.472 to 0.704 mg/L (2 sites, 2025)
Shahdol	Nitrate, Lead	Nitrate	3.0	Nitrate 53 to 111 mg/L (6 sites, 2025); Lead 0.016 mg/L (1 sites, 2025)
Shajapur	Nitrate, Iron	Iron	2.3	Nitrate 56 to 68 mg/L (2 sites, 2025); Iron 2.32 mg/L (1 sites, 2024)
Sheopur	Nitrate, Manganese	Nitrate	4.7	Nitrate 55 to 187 mg/L (4 sites, 2025); Manganese 0.84 mg/L (1 sites, 2025)
Shivpuri	Salinity (EC), Nitrate, Uranium	Nitrate	5.4	Salinity (EC) 3365 uS/cm (1 sites, 2025); Nitrate 65 to 244 mg/L (6 sites, 2025); Uranium 30.2 ppb (1 sites, 2025)
Sidhi	Fluoride, Nitrate, Iron	Nitrate	4.4	Fluoride 1.58 mg/L (1 sites, 2025); Nitrate 199 mg/L (1 sites, 2025); Iron 1.803 mg/L (1 sites, 2025)
Singrauli	Nitrate	Nitrate	1.5	Nitrate 46 to 66 mg/L (2 sites, 2025)
Tikamgarh	Nitrate, Iron, Manganese	Nitrate	2.0	Nitrate 52 to 71 mg/L (2 sites, 2025); Iron 1.13 to 1.94 mg/L (2 sites, 2024); Manganese 0.572 mg/L (1 sites, 2025)
Ujjain	Nitrate, Iron, Manganese	Nitrate	2.5	Nitrate 49 to 98 mg/L (10 sites, 2025); Iron 1.091 to 1.821 mg/L (2 sites, 2025); Manganese 0.467 mg/L (1 sites, 2025)
Umaria	Nitrate	Nitrate	3.6	Nitrate 55 mg/L (1 sites, 2025)
Vidisha	Nitrate, Lead	Nitrate	1.4	Nitrate 63 mg/L (1 sites, 2025); Lead 0.012 mg/L (1 sites, 2025)

Maharashtra

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Ahmednagar	Salinity (EC), Nitrate, Iron	Nitrate	12.9	Salinity (EC) 3329 to 3822 uS/cm (2 sites, 2025); Nitrate 53 to 165 mg/L (19 sites, 2025); Iron 1.59 mg/L (1 sites, 2024)
Akola	Salinity (EC), Fluoride, Nitrate	Nitrate	6.4	Salinity (EC) 5352 uS/cm (1 sites, 2025); Fluoride 1.65 mg/L (1 sites, 2024); Nitrate 48 to 53 mg/L (6 sites, 2025)
Amravati	Salinity (EC), Nitrate	Nitrate	13.5	Salinity (EC) 4292 uS/cm (1 sites, 2025); Nitrate 48 to 150 mg/L (11 sites, 2025)
Aurangabad	Salinity (EC), Nitrate	Nitrate	11.4	Salinity (EC) 9090 uS/cm (1 sites, 2025); Nitrate 54 to 102 mg/L (4 sites, 2025)
Beed	Salinity (EC), Nitrate, Iron	Nitrate	14.1	Salinity (EC) 3287 uS/cm (1 sites, 2025); Nitrate 47 to 466 mg/L (9 sites, 2025); Iron 1.03 mg/L (1 sites, 2024)
Bhandara	Fluoride, Nitrate, Arsenic, Uranium	Nitrate	3.2	Fluoride 1.51 to 2.3 mg/L (4 sites, 2024); Nitrate 47 to 54 mg/L (2 sites, 2025); Uranium 74.7 ppb (1 sites, 2025)
Buldhana	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	6.3	Salinity (EC) 3822 uS/cm (1 sites, 2025); Fluoride 3.01 mg/L (1 sites, 2024); Nitrate 56 to 284 mg/L (7 sites, 2025); Iron 1.29 to 3.14 mg/L (4 sites, 2024)
Chandrapur	Salinity (EC), Fluoride, Nitrate, Iron	Iron	14.6	Salinity (EC) 3015 uS/cm (1 sites, 2025); Fluoride 1.6 to 4.65 mg/L (9 sites, 2025); Nitrate 45 to 79 mg/L (10 sites, 2025); Iron 1.56 to 14.6 mg/L (3 sites, 2024)
Dhule	Nitrate, Iron	Nitrate	5.6	Nitrate 48 to 52 mg/L (6 sites, 2025); Iron 1.19 to 1.41 mg/L (2 sites, 2024)
Gadchiroli	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	4.4	Salinity (EC) 11040 uS/cm (1 sites, 2025); Fluoride 1.59 mg/L (1 sites, 2025); Nitrate 46 to 56 mg/L (9 sites, 2025); Iron 1.65 mg/L (1 sites, 2024)
Gondia	Nitrate, Uranium	Nitrate	3.2	Nitrate 48 to 52 mg/L (3 sites, 2025); Uranium 46.2 ppb (1 sites, 2025)

Hingoli	Fluoride, Nitrate	Nitrate	2.0	Fluoride 1.6 to 2.15 mg/L (2 sites, 2024); Nitrate 47 to 75 mg/L (3 sites, 2025)
Jalgaon	Salinity (EC), Nitrate	Nitrate	5.5	Salinity (EC) 3593 uS/cm (1 sites, 2024); Nitrate 53 to 165 mg/L (7 sites, 2025)
Jalna	Salinity (EC), Nitrate	Nitrate	11.2	Salinity (EC) 3555 uS/cm (1 sites, 2025); Nitrate 47 to 58 mg/L (5 sites, 2025)
Kolhapur	Nitrate	Nitrate	1.3	Nitrate 48 to 58 mg/L (3 sites, 2024)
Latur	Nitrate, Iron	Nitrate	3.7	Nitrate 48 to 165 mg/L (4 sites, 2025); Iron 1.17 mg/L (1 sites, 2024)
Mumbai City	Arsenic			no measured range published
Mumbai Suburban	not listed in CGWB exceedance annexures			no measured range published
Nagpur	Salinity (EC), Nitrate, Uranium	Salinity (EC)	3.7	Salinity (EC) 11040 uS/cm (1 sites, 2025); Nitrate 50 to 74 mg/L (4 sites, 2025); Uranium 34.3 ppb (1 sites, 2024)
Nanded	Salinity (EC), Nitrate, Iron	Nitrate	3.4	Salinity (EC) 3086 to 3200 uS/cm (2 sites, 2024); Nitrate 47 to 56 mg/L (7 sites, 2025); Iron 1.92 mg/L (1 sites, 2024)
Nandurbar	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	6.2	Salinity (EC) 6008 uS/cm (1 sites, 2024); Fluoride 1.75 mg/L (1 sites, 2024); Nitrate 51 mg/L (1 sites, 2025); Iron 1.6 mg/L (1 sites, 2024)
Nashik	Salinity (EC), Nitrate, Iron	Nitrate	5.8	Salinity (EC) 6327 uS/cm (1 sites, 2025); Nitrate 48 to 259 mg/L (15 sites, 2025); Iron 1.04 mg/L (1 sites, 2024)
Osmanabad	Fluoride, Nitrate	Fluoride	1.4	Fluoride 1.64 to 2.15 mg/L (2 sites, 2024); Nitrate 53 to 57 mg/L (2 sites, 2025)
Palghar	not listed in CGWB exceedance annexures			no measured range published
Parbhani	Salinity (EC), Fluoride, Nitrate	Salinity (EC)	3.7	Salinity (EC) 11000 uS/cm (1 sites, 2024); Fluoride 1.58 to 2.68 mg/L (6 sites, 2024); Nitrate 49 to 57 mg/L (6 sites, 2025)
Pune	Nitrate, Iron	Nitrate	2.0	Nitrate 47 mg/L (1 sites, 2025); Iron 1.84 mg/L (1 sites, 2024)
Raigad	Salinity (EC), Nitrate	Nitrate	1.4	Salinity (EC) 3822 uS/cm (1 sites, 2025); Nitrate 62 mg/L (1 sites, 2025)
Ratnagiri	Salinity (EC), Iron	Iron	9.1	Salinity (EC) 4316 uS/cm (1 sites, 2024); Iron 1.98 to 9.13 mg/L (2 sites, 2024)
Sangli	Salinity (EC), Nitrate	Nitrate	2.7	Salinity (EC) 4416 uS/cm (1 sites, 2025); Nitrate 65 to 123 mg/L (3 sites, 2025)
Satara	Salinity (EC), Nitrate	Nitrate	4.9	Salinity (EC) 3899 uS/cm (1 sites, 2025); Nitrate 56 to 205 mg/L (2 sites, 2025)
Sindhudurg	Nitrate, Iron	Iron	11.1	Nitrate 65 mg/L (1 sites, 2024); Iron 2.08 to 11.08 mg/L (3 sites, 2024)
Solapur	Salinity (EC), Nitrate, Iron	Nitrate	2.8	Salinity (EC) 3299 uS/cm (1 sites, 2025); Nitrate 47 to 50 mg/L (6 sites, 2025); Iron 1.07 to 2.06 mg/L (5 sites, 2024)
Thane	Salinity (EC), Nitrate	Salinity (EC)	1.7	Salinity (EC) 5018 uS/cm (1 sites, 2025); Nitrate 53 mg/L (1 sites, 2024)
Wardha	Salinity (EC), Nitrate, Iron	Nitrate	6.8	Salinity (EC) 3057 uS/cm (1 sites, 2025); Nitrate 51 to 83 mg/L (11 sites, 2025); Iron 1.24 to 1.33 mg/L (2 sites, 2024)
Washim	Nitrate, Iron	Iron	4.1	Nitrate 48 to 51 mg/L (5 sites, 2025); Iron 1.17 to 4.13 mg/L (7 sites, 2024)
Yavatmal	Fluoride, Nitrate	Nitrate	4.3	Fluoride 2.04 mg/L (1 sites, 2024); Nitrate 45 to 58 mg/L (11 sites, 2025)

Manipur

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Bishnupur	not listed in CGWB exceedance annexures			no measured range published
Chandel	not listed in CGWB exceedance annexures			no measured range published

Churachandpur	not listed in CGWB exceedance annexures			no measured range published
Imphal East	not listed in CGWB exceedance annexures			no measured range published
Imphal West	not listed in CGWB exceedance annexures			no measured range published
Jiribam	not listed in CGWB exceedance annexures			no measured range published
Kakching	not listed in CGWB exceedance annexures			no measured range published
Kamjong	not listed in CGWB exceedance annexures			no measured range published
Kangpokpi	not listed in CGWB exceedance annexures			no measured range published
Noney	not listed in CGWB exceedance annexures			no measured range published
Pherzawl	not listed in CGWB exceedance annexures			no measured range published
Senapati	Iron, Manganese	Manganese	2.0	Iron 1.044 mg/L (1 sites, 2025); Manganese 0.604 mg/L (1 sites, 2025)
Tamenglong	not listed in CGWB exceedance annexures			no measured range published
Tengnoupal	not listed in CGWB exceedance annexures			no measured range published
Thoubal	not listed in CGWB exceedance annexures			no measured range published
Ukhrul	not listed in CGWB exceedance annexures			no measured range published

Meghalaya

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
East Garo Hills	not listed in CGWB exceedance annexures			no measured range published
East Jaintia Hills	not listed in CGWB exceedance annexures			no measured range published
East Khasi Hills	Iron	Iron	2.0	Iron 2.03 mg/L (1 sites, 2024)
North Garo Hills	Iron, Manganese	Iron	4.1	Iron 4.14 mg/L (1 sites, 2025); Manganese 0.595 to 0.717 mg/L (2 sites, 2025)
Ribhoi	Iron, Manganese	Iron	8.0	Iron 8.007 mg/L (1 sites, 2025); Manganese 0.694 mg/L (1 sites, 2025)
South Garo Hills	Manganese	Manganese	3.4	Manganese 0.969 to 1.032 mg/L (2 sites, 2025)
South West Garo Hills	Iron, Manganese	Manganese	3.8	Iron 1.779 mg/L (1 sites, 2025); Manganese 1.108 to 1.131 mg/L (2 sites, 2025)

South West Khasi Hills	not listed in CGWB exceedance annexures			no measured range published
West Garo Hills	Iron, Manganese	Iron	5.0	Iron 1.033 to 2.722 mg/L (3 sites, 2025); Manganese 1.181 to 1.283 mg/L (2 sites, 2025)
West Jaintia Hills	not listed in CGWB exceedance annexures			no measured range published
West Khasi Hills	Iron	Iron	18.4	Iron 18.4 mg/L (1 sites, 2024)

Mizoram

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Aizawl	not listed in CGWB exceedance annexures			no measured range published
Champhai	not listed in CGWB exceedance annexures			no measured range published
Hnahthial	not listed in CGWB exceedance annexures			no measured range published
Khawzawl	not listed in CGWB exceedance annexures			no measured range published
Kolasib	not listed in CGWB exceedance annexures			no measured range published
Lawngtlai	not listed in CGWB exceedance annexures			no measured range published
Lunglei	not listed in CGWB exceedance annexures			no measured range published
Mamit	Nitrate	Nitrate	1.2	Nitrate 56 mg/L (1 sites, 2025)
Saiha	not listed in CGWB exceedance annexures			no measured range published
Serchhip	not listed in CGWB exceedance annexures			no measured range published

Nagaland

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Chumukedima	Iron, Manganese	Iron	2.8	Iron 1.008 to 2.759 mg/L (2 sites, 2025); Manganese 0.422 mg/L (1 sites, 2025)
Dimapur	Iron, Manganese	Manganese	10.5	Iron 1.351 to 4.449 mg/L (4 sites, 2025); Manganese 0.421 to 3.15 mg/L (4 sites, 2025)
Kiphire	not listed in CGWB exceedance annexures			no measured range published
Kohima	Nitrate, Iron, Manganese	Iron	7.2	Nitrate 54 to 62 mg/L (3 sites, 2025); Iron 1.101 to 7.221 mg/L (3 sites, 2025); Manganese 0.769 mg/L (1 sites, 2025)
Longleng	not listed in CGWB exceedance annexures			no measured range published
Mokokchung	Fluoride, Nitrate, Iron, Manganese	Iron	6.9	Fluoride 1.68 mg/L (1 sites, 2025); Nitrate 48 to 57 mg/L (3 sites, 2025); Iron 6.904 mg/L (1 sites, 2025); Manganese 0.453 to 0.484 mg/L (2 sites, 2025)

Mon	not listed in CGWB exceedance annexures			no measured range published
Nuiland	Iron, Manganese	Iron	5.5	Iron 2.013 to 5.459 mg/L (3 sites, 2025); Manganese 0.683 to 1.203 mg/L (2 sites, 2025)
Peren	not listed in CGWB exceedance annexures			no measured range published
Phek	Nitrate, Iron, Manganese	Manganese	3.9	Nitrate 47 to 56 mg/L (4 sites, 2025); Iron 1.223 to 2.047 mg/L (2 sites, 2025); Manganese 0.675 to 1.159 mg/L (2 sites, 2025)
Tseminyu	Nitrate	Nitrate	1.3	Nitrate 55 to 59 mg/L (2 sites, 2025)
Tuensang	not listed in CGWB exceedance annexures			no measured range published
Wokha	Nitrate, Manganese	Nitrate	1.2	Nitrate 50 to 52 mg/L (2 sites, 2025); Manganese 0.304 mg/L (1 sites, 2025)
Zunheboto	Iron, Manganese	Iron	3.7	Iron 3.719 mg/L (1 sites, 2025); Manganese 0.975 mg/L (1 sites, 2025)

Odisha

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Angul	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	26.3	Salinity (EC) 3051 uS/cm (1 sites, 2024); Fluoride 1.53 mg/L (1 sites, 2025); Nitrate 51 to 100 mg/L (7 sites, 2025); Iron 1.12 to 26.32 mg/L (8 sites, 2025); Uranium 49.33 ppb (1 sites, 2024); Manganese 0.311 to 1.016 mg/L (2 sites, 2025)
Balangir	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Nitrate	6.1	Salinity (EC) 3644 uS/cm (1 sites, 2024); Fluoride 1.65 to 2.6 mg/L (3 sites, 2025); Nitrate 48 to 88 mg/L (10 sites, 2025); Iron 2.63 mg/L (1 sites, 2025); Uranium 47.42 ppb (1 sites, 2024); Manganese 0.757 to 1.542 mg/L (3 sites, 2025)
Balasore	Nitrate, Iron, Manganese	Iron	4.5	Nitrate 54 mg/L (1 sites, 2025); Iron 1.26 to 4.55 mg/L (2 sites, 2025); Manganese 0.423 to 1.156 mg/L (2 sites, 2025)
Bargarh	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	43.4	Salinity (EC) 3260 uS/cm (1 sites, 2025); Fluoride 2 to 2.3 mg/L (2 sites, 2024); Nitrate 48 to 214 mg/L (12 sites, 2025); Iron 4.69 mg/L (1 sites, 2025); Uranium 41.9 ppb (1 sites, 2025); Manganese 0.304 to 1.569 mg/L (5 sites, 2025)
Bhadrak	Iron, Arsenic, Manganese	Manganese	19.2	Iron 1.31 to 4.33 mg/L (2 sites, 2025); Arsenic 10.1 to 14.3 ppb (2 sites, 2025); Manganese 1.187 to 5.755 mg/L (3 sites, 2025)
Boudh	Fluoride, Nitrate, Iron, Manganese	Iron	9.6	Fluoride 2.1 mg/L (1 sites, 2025); Nitrate 52 to 84 mg/L (6 sites, 2025); Iron 1.12 to 9.56 mg/L (3 sites, 2025); Manganese 0.308 to 1.426 mg/L (6 sites, 2025)
Cuttack	Nitrate, Iron, Arsenic, Manganese	Iron	11.2	Nitrate 140 to 172 mg/L (2 sites, 2025); Iron 1.16 to 11.22 mg/L (2 sites, 2024); Arsenic 10.989 ppb (1 sites, 2024); Manganese 0.535 to 0.931 mg/L (2 sites, 2025)
Deogarh	Iron, Manganese	Iron	2.1	Iron 1.4 to 2.13 mg/L (2 sites, 2025); Manganese 0.439 to 0.623 mg/L (2 sites, 2025)
Dhenkanal	Salinity (EC), Nitrate, Iron, Manganese	Manganese	6.3	Salinity (EC) 3061 uS/cm (1 sites, 2025); Nitrate 46 to 205 mg/L (5 sites, 2025); Iron 1.04 to 1.37 mg/L (3 sites, 2024); Manganese 1.904 mg/L (1 sites, 2025)
Gajapati	Iron, Manganese	Iron	41.0	Iron 1.73 to 40.98 mg/L (5 sites, 2024); Manganese 0.357 mg/L (1 sites, 2025)
Ganjam	Salinity (EC), Iron, Arsenic, Manganese	Arsenic	13.5	Salinity (EC) 4515 uS/cm (1 sites, 2025); Iron 2.17 mg/L (1 sites, 2025); Arsenic 20.3 to 135.2 ppb (2 sites, 2025); Manganese 0.886 to 0.998 mg/L (3 sites, 2025)
Jagatsinghpur	not listed in CGWB exceedance annexures			no measured range published
Jajpur	Iron, Manganese	Manganese	22.1	Iron 1.04 to 7.09 mg/L (3 sites, 2024); Manganese 6.628 mg/L (1 sites, 2025)

Jharsuguda	Fluoride, Iron, Manganese	Manganese	2.5	Fluoride 2.05 mg/L (1 sites, 2024); Iron 1.59 mg/L (1 sites, 2025); Manganese 0.389 to 0.748 mg/L (3 sites, 2025)
Kalahandi	Fluoride, Nitrate, Iron, Uranium, Manganese, Zinc	Iron	4.7	Fluoride 2.53 mg/L (1 sites, 2025); Nitrate 55 to 102 mg/L (3 sites, 2025); Iron 1.13 to 4.74 mg/L (3 sites, 2025); Uranium 37.1 ppb (1 sites, 2025); Manganese 0.639 to 0.729 mg/L (3 sites, 2025); Zinc 15.124 mg/L (1 sites, 2025)
Kandhamal	Nitrate	Nitrate	2.6	Nitrate 71 to 115 mg/L (2 sites, 2025)
Kendrapara	Nitrate, Iron, Manganese	Manganese	5.8	Nitrate 67 mg/L (1 sites, 2025); Iron 1.54 mg/L (1 sites, 2024); Manganese 0.439 to 1.746 mg/L (4 sites, 2025)
Kendujhar	Nitrate, Iron, Manganese	Iron	2.2	Nitrate 50 to 62 mg/L (2 sites, 2024); Iron 1.42 to 2.22 mg/L (3 sites, 2024); Manganese 0.589 mg/L (1 sites, 2025)
Khordha	Nitrate, Iron, Manganese	Nitrate	3.2	Nitrate 71 to 122 mg/L (2 sites, 2025); Iron 1.57 to 2.26 mg/L (2 sites, 2024); Manganese 0.733 to 0.905 mg/L (2 sites, 2025)
Koraput	Nitrate, Iron	Iron	19.4	Nitrate 55 to 106 mg/L (2 sites, 2025); Iron 19.37 mg/L (1 sites, 2025)
Malkangiri	Nitrate, Iron, Manganese	Manganese	3.8	Nitrate 52 mg/L (1 sites, 2025); Iron 1.26 to 1.3 mg/L (2 sites, 2024); Manganese 1.133 mg/L (1 sites, 2025)
Mayurbhanj	Nitrate, Iron, Manganese	Iron	16.4	Nitrate 63 to 114 mg/L (2 sites, 2024); Iron 3.11 mg/L (1 sites, 2025); Manganese 0.434 to 0.793 mg/L (2 sites, 2025)
Nabarangapur	Iron	Iron	1.2	Iron 1.19 mg/L (1 sites, 2025)
Nayagarh	Fluoride, Nitrate, Iron, Manganese	Manganese	2.8	Fluoride 2.8 mg/L (1 sites, 2025); Nitrate 57 to 82 mg/L (3 sites, 2025); Iron 1.28 to 1.32 mg/L (2 sites, 2024); Manganese 0.311 to 0.83 mg/L (4 sites, 2025)
Nuapada	Salinity (EC), Fluoride, Nitrate, Iron, Manganese, Lead, Zinc	Iron	40.9	Salinity (EC) 3450 to 3890 uS/cm (2 sites, 2024); Fluoride 1.89 to 2.89 mg/L (3 sites, 2024); Nitrate 56 to 78 mg/L (4 sites, 2025); Iron 1.01 to 40.91 mg/L (9 sites, 2025); Manganese 0.34 to 0.775 mg/L (4 sites, 2025); Lead 0.132 mg/L (1 sites, 2025); Zinc 27.653 mg/L (1 sites, 2025)
Puri	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Manganese	Manganese	19.5	Salinity (EC) 3368 to 4647 uS/cm (3 sites, 2025); Fluoride 8 mg/L (1 sites, 2024); Nitrate 46 to 150 mg/L (5 sites, 2025); Iron 1.65 to 14.09 mg/L (6 sites, 2025); Arsenic 12.5 ppb (1 sites, 2025); Manganese 0.385 to 5.849 mg/L (12 sites, 2025)
Rayagada	Nitrate	Nitrate	1.3	Nitrate 58 mg/L (1 sites, 2025)
Sambalpur	Fluoride, Nitrate, Iron, Arsenic, Manganese, Lead, Zinc	Iron	65.9	Fluoride 1.59 to 2.79 mg/L (3 sites, 2024); Nitrate 49 to 138 mg/L (7 sites, 2025); Iron 1.16 to 65.92 mg/L (14 sites, 2025); Arsenic 27.7 ppb (1 sites, 2025); Manganese 0.39 to 1.182 mg/L (11 sites, 2025); Lead 0.014 to 0.023 mg/L (2 sites, 2025); Zinc 19.494 to 22.724 mg/L (2 sites, 2025)
Subarnapur	Fluoride, Nitrate, Iron, Manganese	Iron	15.4	Fluoride 2 mg/L (1 sites, 2024); Nitrate 54 to 160 mg/L (10 sites, 2025); Iron 1.25 to 8.54 mg/L (6 sites, 2025); Manganese 0.323 to 1.945 mg/L (5 sites, 2025)
Sundargarh	Fluoride, Nitrate, Iron, Arsenic, Manganese	Iron	20.9	Fluoride 2.35 mg/L (1 sites, 2025); Nitrate 45 to 143 mg/L (4 sites, 2024); Iron 1.4 to 20.92 mg/L (8 sites, 2025); Arsenic 61.9 ppb (1 sites, 2025); Manganese 0.341 to 0.853 mg/L (7 sites, 2025)

Puducherry

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Karaikal	Fluoride	Fluoride	1.2	Fluoride 1.74 mg/L (1 sites, 2025)
Mahe	not listed in CGWB exceedance annexures			no measured range published
Puducherry	Nitrate, Arsenic, Manganese	Manganese	1.5	Arsenic 12.679 ppb (1 sites, 2024); Manganese 0.346 to 0.454 mg/L (2 sites, 2025)
Yanam	not listed in CGWB exceedance annexures			no measured range published

Punjab

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Amritsar	Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Arsenic	6.8	Fluoride 1.7 to 2 mg/L (3 sites, 2024); Nitrate 156 mg/L (1 sites, 2025); Iron 1.72 to 2.89 mg/L (3 sites, 2025); Arsenic 10.6 to 67.8 ppb (13 sites, 2025); Uranium 54.3 to 87.3 ppb (4 sites, 2025); Manganese 0.323 to 1.366 mg/L (4 sites, 2025)
Barnala	Nitrate, Uranium	Uranium	1.7	Nitrate 50 to 60 mg/L (3 sites, 2025); Uranium 31.8 to 50.9 ppb (13 sites, 2025)
Bathinda	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	10.2	Salinity (EC) 3539 uS/cm (1 sites, 2025); Fluoride 1.9 to 4.3 mg/L (5 sites, 2025); Nitrate 52 to 260 mg/L (6 sites, 2025); Iron 1.03 mg/L (1 sites, 2024); Uranium 31.8 to 146.6 ppb (15 sites, 2025)
Faridkot	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	8.1	Salinity (EC) 3059 to 6342 uS/cm (6 sites, 2025); Fluoride 1.8 to 3.5 mg/L (4 sites, 2025); Nitrate 62 to 210 mg/L (6 sites, 2025); Iron 6.03 mg/L (1 sites, 2024); Uranium 31.8 to 77.4 ppb (9 sites, 2025)
Fatehgarh Sahib	Fluoride, Nitrate, Iron, Uranium	Iron	3.8	Fluoride 1.6 to 2.1 mg/L (3 sites, 2024); Nitrate 72 to 110 mg/L (3 sites, 2025); Iron 3.77 mg/L (1 sites, 2024); Uranium 31.4 to 67.7 ppb (7 sites, 2025)
Fazilka	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Nitrate	18.1	Salinity (EC) 3403 to 9945 uS/cm (6 sites, 2025); Fluoride 1.6 to 1.8 mg/L (2 sites, 2025); Nitrate 65 to 290 mg/L (7 sites, 2025); Iron 1 to 3.21 mg/L (4 sites, 2024); Arsenic 14.397 to 14.62 ppb (2 sites, 2024); Uranium 32.8 to 61.9 ppb (4 sites, 2025)
Ferozepur	Salinity (EC), Fluoride, Nitrate, Arsenic, Uranium	Fluoride	4.0	Salinity (EC) 3648 to 4728 uS/cm (2 sites, 2025); Fluoride 1.6 to 6 mg/L (12 sites, 2024); Nitrate 83 to 86 mg/L (2 sites, 2025); Arsenic 11.9 ppb (1 sites, 2025); Uranium 30.3 to 68.4 ppb (14 sites, 2025)
Gurdaspur	Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Arsenic	7.3	Fluoride 1.7 mg/L (1 sites, 2024); Nitrate 60 to 120 mg/L (3 sites, 2025); Iron 1.542 to 5.11 mg/L (4 sites, 2025); Arsenic 10.4 to 57.4 ppb (7 sites, 2025); Uranium 40.82 ppb (1 sites, 2024); Manganese 0.61 to 0.864 mg/L (4 sites, 2025)
Hoshiarpur	Fluoride, Nitrate, Iron, Arsenic, Uranium, Lead	Iron	5.3	Fluoride 1.6 to 2.6 mg/L (2 sites, 2024); Nitrate 48 mg/L (1 sites, 2025); Iron 1.144 to 4.749 mg/L (3 sites, 2025); Arsenic 29.1 ppb (1 sites, 2025); Uranium 35.25 ppb (1 sites, 2024); Lead 0.011 mg/L (1 sites, 2025)
Jalandhar	Fluoride, Nitrate, Uranium	Uranium	2.1	Fluoride 1.58 mg/L (1 sites, 2024); Nitrate 70 to 75 mg/L (4 sites, 2025); Uranium 30.2 to 63.2 ppb (8 sites, 2025)
Kapurthala	Nitrate, Iron, Arsenic, Uranium	Iron	5.7	Nitrate 62 mg/L (1 sites, 2025); Iron 2.86 to 5.67 mg/L (2 sites, 2024); Arsenic 13.898 ppb (1 sites, 2024); Uranium 35.6 to 39.6 ppb (2 sites, 2025)
Ludhiana	Nitrate, Iron, Uranium	Nitrate	2.4	Nitrate 66 to 110 mg/L (6 sites, 2025); Iron 1.67 mg/L (1 sites, 2024); Uranium 32.5 to 51.5 ppb (10 sites, 2025)
Mansa	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	10.4	Salinity (EC) 3081 to 4550 uS/cm (3 sites, 2025); Fluoride 10.4 mg/L (1 sites, 2025); Nitrate 61 to 440 mg/L (2 sites, 2025); Iron 1.27 to 3.07 mg/L (7 sites, 2024); Uranium 31.2 to 88.8 ppb (8 sites, 2025)
Moga	Fluoride, Nitrate, Uranium	Fluoride	6.7	Fluoride 1.67 mg/L (1 sites, 2025); Nitrate 51 mg/L (1 sites, 2025); Uranium 30.3 to 59 ppb (17 sites, 2025)
Pathankot	Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	6.5	Nitrate 49 to 190 mg/L (2 sites, 2025); Iron 6.48 mg/L (1 sites, 2024); Arsenic 40.555 ppb (1 sites, 2024); Uranium 49.7 ppb (1 sites, 2025); Manganese 0.759 mg/L (1 sites, 2025)
Patiala	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Nitrate	9.2	Salinity (EC) 3492 to 4235 uS/cm (2 sites, 2025); Fluoride 1.71 to 2.7 mg/L (2 sites, 2025); Nitrate 52 to 311 mg/L (6 sites, 2025); Iron 1.33 to 4.33 mg/L (3 sites, 2024); Arsenic 10.6 ppb (1 sites, 2025); Uranium 31.2 to 55.2 ppb (12 sites, 2025)
Rupnagar	Nitrate, Iron, Arsenic, Uranium	Arsenic	6.1	Nitrate 110 mg/L (1 sites, 2025); Iron 3.141 mg/L (1 sites, 2025); Arsenic 12.757 to 61.327 ppb (2 sites, 2024); Uranium 34.33 to 48.63 ppb (2 sites, 2024)
Sangrur	Fluoride, Nitrate, Iron, Uranium	Uranium	10.2	Fluoride 1.62 to 3.51 mg/L (5 sites, 2025); Nitrate 53 to 246 mg/L (6 sites, 2025); Iron 1.27 to 5.44 mg/L (2 sites, 2024); Uranium 30.2 to 201.7 ppb (23 sites, 2025)
Sas Nagar	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Manganese	Nitrate	12.8	Salinity (EC) 3470 to 4800 uS/cm (2 sites, 2024); Fluoride 3.2 to 4.5 mg/L (3 sites, 2025); Nitrate 422 to 574 mg/L (2 sites, 2024); Iron 1.11 to 5.93 mg/L (5 sites, 2024); Arsenic 35.852 ppb (1 sites, 2024); Manganese 0.382 to 0.53 mg/L (2 sites, 2025)

Shahid Bhagat Singh Nagar	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	3.6	Salinity (EC) 4061 uS/cm (1 sites, 2025); Fluoride 1.6 to 1.7 mg/L (2 sites, 2024); Nitrate 50 mg/L (1 sites, 2024); Iron 3.63 mg/L (1 sites, 2024); Uranium 44.8 to 60.51 ppb (2 sites, 2024); Manganese 0.902 mg/L (1 sites, 2025)
Sri Muktsar Sahib	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Nitrate	21.1	Salinity (EC) 4042 to 4963 uS/cm (4 sites, 2025); Fluoride 2.4 to 5.3 mg/L (2 sites, 2025); Nitrate 98 to 180 mg/L (2 sites, 2025); Iron 1.07 mg/L (1 sites, 2024); Arsenic 40.577 ppb (1 sites, 2024); Uranium 31.4 to 84.2 ppb (4 sites, 2025)
Tarn Taran	Fluoride, Nitrate, Iron, Arsenic, Uranium	Arsenic	3.8	Fluoride 1.57 to 1.61 mg/L (2 sites, 2025); Nitrate 95 mg/L (1 sites, 2025); Iron 1.34 mg/L (1 sites, 2024); Arsenic 10.6 to 37.9 ppb (4 sites, 2025); Uranium 39.5 to 95.8 ppb (6 sites, 2025)

Rajasthan

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Ajmer	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	12.4	Salinity (EC) 3400 uS/cm (1 sites, 2025); Fluoride 1.53 to 5 mg/L (6 sites, 2024); Nitrate 120 to 140 mg/L (2 sites, 2025); Iron 1.3 mg/L (1 sites, 2025)
Alwar	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	7.1	Salinity (EC) 3800 to 6900 uS/cm (2 sites, 2025); Fluoride 1.75 to 5.15 mg/L (2 sites, 2024); Nitrate 115 to 320 mg/L (2 sites, 2025); Uranium 33 to 36 ppb (2 sites, 2024)
Banswara	Fluoride, Nitrate, Iron, Arsenic	Nitrate	2.6	Fluoride 1.83 to 3 mg/L (6 sites, 2024); Nitrate 50 to 115 mg/L (8 sites, 2024); Iron 1.36 mg/L (1 sites, 2024); Arsenic 11.19 ppb (1 sites, 2024)
Baran	Nitrate	Nitrate	1.6	Nitrate 46 to 72 mg/L (3 sites, 2024)
Barmer	Salinity (EC), Fluoride, Nitrate, Uranium, Lead	Nitrate	13.4	Salinity (EC) 3250 to 13140 uS/cm (8 sites, 2025); Fluoride 2.05 to 2.95 mg/L (5 sites, 2025); Nitrate 80 to 320 mg/L (3 sites, 2025); Uranium 54 ppb (1 sites, 2025); Lead 0.055 mg/L (1 sites, 2025)
Bharatpur	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Uranium	4.5	Salinity (EC) 3040 to 6730 uS/cm (3 sites, 2025); Fluoride 2.5 to 2.6 mg/L (2 sites, 2025); Nitrate 50 to 200 mg/L (2 sites, 2025); Iron 1.3 mg/L (1 sites, 2025); Uranium 51 to 135 ppb (5 sites, 2024)
Bhilwara	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium, Lead	Nitrate	19.8	Salinity (EC) 6530 uS/cm (1 sites, 2025); Fluoride 2.6 to 4.05 mg/L (2 sites, 2025); Nitrate 60 to 120 mg/L (4 sites, 2025); Iron 2.1 mg/L (1 sites, 2025); Arsenic 11.841 to 17.874 ppb (3 sites, 2024); Uranium 120 ppb (1 sites, 2024); Lead 0.052 mg/L (1 sites, 2025)
Bikaner	Salinity (EC), Fluoride, Nitrate, Uranium	Fluoride	10.0	Salinity (EC) 3040 to 14100 uS/cm (14 sites, 2024); Fluoride 3.55 mg/L (1 sites, 2025); Nitrate 220 mg/L (1 sites, 2025); Uranium 30.4 to 166 ppb (9 sites, 2024)
Bundi	Salinity (EC), Fluoride, Nitrate	Nitrate	2.9	Salinity (EC) 3250 uS/cm (1 sites, 2025); Fluoride 1.64 to 3.15 mg/L (3 sites, 2024); Nitrate 129 mg/L (1 sites, 2024)
Chittorgarh	Salinity (EC), Fluoride, Nitrate	Nitrate	11.7	Salinity (EC) 3300 uS/cm (1 sites, 2024); Fluoride 1.75 mg/L (1 sites, 2025); Nitrate 80 mg/L (1 sites, 2025)
Churu	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Nitrate	26.7	Salinity (EC) 3410 to 8210 uS/cm (5 sites, 2025); Fluoride 5.6 mg/L (1 sites, 2025); Nitrate 55 to 1202 mg/L (4 sites, 2025); Iron 1.06 mg/L (1 sites, 2024); Arsenic 26.203 ppb (1 sites, 2024); Uranium 42 to 551 ppb (10 sites, 2024)
Dausa	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	17.6	Salinity (EC) 4100 uS/cm (1 sites, 2025); Fluoride 1.73 to 3.59 mg/L (2 sites, 2024); Nitrate 73 to 794 mg/L (4 sites, 2024); Uranium 36 to 86 ppb (3 sites, 2024)
Dholpur	Fluoride, Nitrate, Iron	Iron	2.6	Fluoride 2.82 mg/L (1 sites, 2024); Nitrate 60 mg/L (1 sites, 2025); Iron 2.57 mg/L (1 sites, 2024)
Dungarpur	Fluoride, Iron	Iron	3.8	Fluoride 2.32 mg/L (1 sites, 2024); Iron 1.1 mg/L (1 sites, 2025)
Ganganagar	Salinity (EC), Fluoride, Nitrate, Arsenic, Uranium	Fluoride	12.1	Salinity (EC) 3060 uS/cm (1 sites, 2025); Fluoride 1.65 to 18.2 mg/L (4 sites, 2024); Nitrate 510 mg/L (1 sites, 2025); Arsenic 12.624 to 42.666 ppb (3 sites, 2024); Uranium 35.6 to 220 ppb (5 sites, 2024)
Hanumangarh	Salinity (EC), Fluoride, Nitrate, Arsenic, Uranium	Nitrate	17.2	Salinity (EC) 5810 uS/cm (1 sites, 2025); Fluoride 1.7 mg/L (1 sites, 2025); Nitrate 48 mg/L (1 sites, 2025); Arsenic 13.4 to 17.4 ppb (2 sites, 2024); Uranium 119 ppb (1 sites, 2025)
Jaipur	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	5.9	Salinity (EC) 3480 uS/cm (1 sites, 2025); Fluoride 2.55 to 5.7 mg/L (3 sites, 2025); Nitrate 55 to 60 mg/L (2 sites, 2025); Iron 1.1 mg/L (1 sites, 2025); Uranium 110 ppb (1 sites, 2025)

Jaisalmer	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	13.1	Salinity (EC) 3610 to 4810 uS/cm (2 sites, 2025); Fluoride 1.78 mg/L (1 sites, 2025); Nitrate 50 to 590 mg/L (13 sites, 2024); Iron 1.27 to 4.87 mg/L (3 sites, 2024); Uranium 45 to 50 ppb (2 sites, 2024)
Jalore	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	7.6	Salinity (EC) 3130 to 18400 uS/cm (12 sites, 2024); Fluoride 2.45 mg/L (1 sites, 2025); Nitrate 85 mg/L (1 sites, 2025); Uranium 33.8 to 74.6 ppb (4 sites, 2024)
Jhalawar	Fluoride, Nitrate, Iron	Iron	11.2	Fluoride 3.5 mg/L (1 sites, 2024); Nitrate 65 to 165 mg/L (4 sites, 2024); Iron 11.17 mg/L (1 sites, 2024)
Jhunjhunu	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	8.0	Salinity (EC) 3180 uS/cm (1 sites, 2025); Fluoride 2.58 mg/L (1 sites, 2025); Nitrate 95 mg/L (1 sites, 2025); Uranium 32 to 80 ppb (4 sites, 2024)
Jodhpur	Salinity (EC), Fluoride, Nitrate, Arsenic, Uranium	Uranium	34.5	Salinity (EC) 3330 to 8380 uS/cm (6 sites, 2025); Fluoride 1.65 mg/L (1 sites, 2025); Nitrate 50 to 385 mg/L (3 sites, 2025); Arsenic 10.622 ppb (1 sites, 2024); Uranium 32 to 1035 ppb (34 sites, 2024)
Karauli	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	8.8	Salinity (EC) 3160 to 7000 uS/cm (6 sites, 2024); Fluoride 1.52 to 3.9 mg/L (2 sites, 2024); Nitrate 256 mg/L (1 sites, 2025); Uranium 42 to 86 ppb (2 sites, 2024)
Kota	not listed in CGWB exceedance annexures			no measured range published
Nagaur	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	12.1	Salinity (EC) 3780 to 9500 uS/cm (3 sites, 2025); Fluoride 2.3 to 3.1 mg/L (2 sites, 2025); Nitrate 80 to 390 mg/L (2 sites, 2025); Uranium 39.7 to 126 ppb (10 sites, 2024)
Pali	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	11.9	Salinity (EC) 3580 to 4250 uS/cm (2 sites, 2025); Fluoride 1.95 to 4.55 mg/L (2 sites, 2025); Nitrate 98 mg/L (1 sites, 2025); Uranium 52 to 60 ppb (2 sites, 2025)
Pratapgarh	Fluoride, Nitrate, Iron	Nitrate	2.9	Fluoride 1.8 mg/L (1 sites, 2024); Nitrate 125 mg/L (1 sites, 2025); Iron 1.05 to 1.48 mg/L (2 sites, 2024)
Rajsamand	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	3.0	Salinity (EC) 3320 to 3440 uS/cm (2 sites, 2024); Fluoride 1.53 to 2.5 mg/L (5 sites, 2024); Nitrate 70 mg/L (1 sites, 2025); Iron 1.64 to 1.79 mg/L (2 sites, 2024); Uranium 31 to 33 ppb (2 sites, 2024)
Sawai Madhopur	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	5.6	Fluoride 1.68 to 2.3 mg/L (5 sites, 2024); Nitrate 60 to 250 mg/L (6 sites, 2025)
Sikar	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	4.9	Salinity (EC) 4650 uS/cm (1 sites, 2025); Fluoride 2.8 mg/L (1 sites, 2024); Nitrate 75 to 220 mg/L (2 sites, 2025); Iron 1.65 mg/L (1 sites, 2025); Uranium 64.2 ppb (1 sites, 2024)
Sirohi	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Nitrate	8.9	Salinity (EC) 4710 to 5690 uS/cm (2 sites, 2024); Fluoride 1.51 to 3.6 mg/L (8 sites, 2024); Nitrate 55 to 400 mg/L (5 sites, 2024); Iron 1.42 mg/L (1 sites, 2025); Arsenic 18.783 ppb (1 sites, 2024)
Tonk	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Uranium	20.0	Salinity (EC) 3880 uS/cm (1 sites, 2025); Fluoride 1.64 to 5.3 mg/L (5 sites, 2024); Nitrate 120 mg/L (1 sites, 2025); Iron 1.77 mg/L (1 sites, 2024); Arsenic 15.912 ppb (1 sites, 2024); Uranium 40 to 600 ppb (6 sites, 2024)
Udaipur	Salinity (EC), Fluoride, Nitrate, Iron	Iron	10.0	Salinity (EC) 3130 uS/cm (1 sites, 2024); Fluoride 2.45 mg/L (1 sites, 2025); Nitrate 46 to 213 mg/L (6 sites, 2024); Iron 1.13 to 9.97 mg/L (5 sites, 2024)

Sikkim

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
East Sikkim	not listed in CGWB exceedance annexures			no measured range published
North Sikkim	not listed in CGWB exceedance annexures			no measured range published
South Sikkim	not listed in CGWB exceedance annexures			no measured range published
West Sikkim	not listed in CGWB exceedance annexures			no measured range published

Tamil Nadu

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Ariyalur	Fluoride, Nitrate, Manganese	Manganese	4.3	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 46 to 186 mg/L (8 sites, 2024); Manganese 0.402 to 1.283 mg/L (2 sites, 2025)
Chengalpattu	Nitrate	Nitrate	1.9	Nitrate 54 to 87 mg/L (2 sites, 2025)
Chennai	Salinity (EC), Fluoride, Nitrate, Arsenic, Manganese	Salinity (EC)	1.9	Salinity (EC) 5590 uS/cm (1 sites, 2024); Fluoride 1.59 mg/L (1 sites, 2024); Nitrate 47 to 61 mg/L (3 sites, 2024); Arsenic 12.205 ppb (1 sites, 2024); Manganese 0.377 mg/L (1 sites, 2025)
Coimbatore	Salinity (EC), Fluoride, Nitrate, Iron, Manganese	Nitrate	4.9	Salinity (EC) 3700 uS/cm (1 sites, 2025); Fluoride 1.64 to 2.27 mg/L (4 sites, 2024); Nitrate 67 to 222 mg/L (6 sites, 2025); Iron 1.18 mg/L (1 sites, 2024); Manganese 0.57 to 1.174 mg/L (2 sites, 2025)
Cuddalore	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Manganese	6.3	Salinity (EC) 3830 uS/cm (1 sites, 2025); Fluoride 1.55 to 1.97 mg/L (5 sites, 2024); Nitrate 48 mg/L (1 sites, 2025); Iron 5.954 mg/L (1 sites, 2025); Arsenic 14.9 ppb (1 sites, 2025); Uranium 34.73 to 38.32 ppb (4 sites, 2024); Manganese 0.336 to 1.89 mg/L (5 sites, 2025)
Dharmapuri	Salinity (EC), Fluoride, Nitrate, Arsenic, Manganese	Nitrate	3.8	Salinity (EC) 3230 to 7970 uS/cm (10 sites, 2024); Fluoride 1.68 mg/L (1 sites, 2025); Nitrate 45 to 107 mg/L (9 sites, 2025); Arsenic 15.644 ppb (1 sites, 2024); Manganese 0.361 mg/L (1 sites, 2025)
Dindigul	Salinity (EC), Fluoride, Nitrate, Uranium, Manganese	Manganese	10.9	Salinity (EC) 3020 to 4050 uS/cm (4 sites, 2024); Fluoride 2.27 to 3.27 mg/L (2 sites, 2025); Nitrate 52 to 172 mg/L (8 sites, 2025); Uranium 48.82 to 109.56 ppb (2 sites, 2024); Manganese 3.263 mg/L (1 sites, 2025)
Erode	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	6.3	Salinity (EC) 3400 to 3570 uS/cm (2 sites, 2025); Fluoride 1.86 mg/L (1 sites, 2025); Nitrate 49 to 185 mg/L (11 sites, 2025); Iron 1.27 to 3.46 mg/L (5 sites, 2024); Uranium 47.55 ppb (1 sites, 2024)
Kallakurichi	Nitrate	Nitrate	2.5	Nitrate 112 mg/L (1 sites, 2025)
Kancheepuram	Salinity (EC), Nitrate, Iron, Manganese	Nitrate	3.0	Salinity (EC) 3850 to 5900 uS/cm (2 sites, 2025); Nitrate 134 mg/L (1 sites, 2025); Iron 1.717 to 2.25 mg/L (2 sites, 2025); Manganese 0.535 to 0.727 mg/L (2 sites, 2025)
Kanyakumari	Nitrate	Nitrate	1.3	Nitrate 47 to 53 mg/L (2 sites, 2025)
Karur	Fluoride, Nitrate, Iron	Nitrate	4.7	Fluoride 1.7 mg/L (1 sites, 2024); Nitrate 74 to 178 mg/L (3 sites, 2025); Iron 1.165 mg/L (1 sites, 2025)
Krishnagiri	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	8.4	Salinity (EC) 3540 to 3660 uS/cm (2 sites, 2024); Fluoride 1.87 mg/L (1 sites, 2025); Nitrate 82 to 101 mg/L (2 sites, 2025); Iron 7 to 8.41 mg/L (2 sites, 2024); Uranium 32.6 ppb (1 sites, 2025); Manganese 1.486 mg/L (1 sites, 2025)
Madurai	Fluoride, Nitrate, Iron, Uranium	Iron	46.9	Fluoride 1.72 mg/L (1 sites, 2025); Nitrate 57 to 115 mg/L (5 sites, 2025); Iron 1.453 to 46.895 mg/L (2 sites, 2025); Uranium 74 ppb (1 sites, 2025)
Mayiladuthurai	Iron	Iron	3.0	Iron 3.031 mg/L (1 sites, 2025)
Nagapattinam	Salinity (EC), Nitrate, Iron, Arsenic, Manganese	Manganese	5.7	Salinity (EC) 3860 uS/cm (1 sites, 2024); Nitrate 47 mg/L (1 sites, 2025); Iron 1.98 to 3.3 mg/L (3 sites, 2024); Arsenic 15.8 ppb (1 sites, 2025); Manganese 1.708 mg/L (1 sites, 2025)
Namakkal	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Nitrate	7.5	Salinity (EC) 3180 uS/cm (1 sites, 2025); Fluoride 1.61 to 2.66 mg/L (4 sites, 2024); Nitrate 67 to 141 mg/L (6 sites, 2025); Iron 4.106 mg/L (1 sites, 2025); Uranium 78.2 ppb (1 sites, 2025)
Nilgiris	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	4.2	Salinity (EC) 3630 to 5690 uS/cm (2 sites, 2024); Fluoride 1.6 to 1.84 mg/L (2 sites, 2024); Nitrate 67 to 190 mg/L (6 sites, 2024); Iron 3.3 mg/L (1 sites, 2024)
Perambalur	Salinity (EC), Fluoride, Nitrate, Uranium	Uranium	4.8	Salinity (EC) 4980 to 5010 uS/cm (2 sites, 2025); Fluoride 1.51 mg/L (1 sites, 2025); Nitrate 73 to 105 mg/L (2 sites, 2025); Uranium 39.61 to 144 ppb (6 sites, 2024)
Pudukkottai	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese, Zinc	Iron	24.8	Salinity (EC) 4090 to 25300 uS/cm (2 sites, 2025); Fluoride 2.37 mg/L (1 sites, 2025); Nitrate 48 to 101 mg/L (8 sites, 2024); Iron 24.82 mg/L (1 sites, 2025); Uranium 44.79 ppb (1 sites, 2024); Manganese 0.53 mg/L (1 sites, 2025); Zinc 58.622 mg/L (1 sites, 2025)
Ramanathapuram	Salinity (EC), Nitrate, Arsenic, Uranium	Arsenic	6.4	Salinity (EC) 4170 to 10680 uS/cm (5 sites, 2025); Arsenic 63.7 ppb (1 sites, 2025); Uranium 34.7 ppb (1 sites, 2025)

Ranipet	Fluoride, Manganese	Manganese	3.4	Fluoride 1.51 mg/L (1 sites, 2025); Manganese 0.418 to 1.034 mg/L (2 sites, 2025)
Salem	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	9.6	Salinity (EC) 3080 to 6950 uS/cm (10 sites, 2025); Fluoride 1.52 to 2.37 mg/L (2 sites, 2025); Nitrate 51 to 188 mg/L (14 sites, 2025); Uranium 36.25 ppb (1 sites, 2024)
Sivaganga	Salinity (EC), Nitrate, Arsenic, Manganese	Manganese	6.5	Salinity (EC) 3200 to 5800 uS/cm (2 sites, 2025); Nitrate 107 mg/L (1 sites, 2024); Arsenic 14.545 ppb (1 sites, 2024); Manganese 1.948 mg/L (1 sites, 2025)
Tenkasi	Salinity (EC), Fluoride, Nitrate, Manganese	Nitrate	7.4	Salinity (EC) 3280 to 3285 uS/cm (2 sites, 2025); Fluoride 1.78 mg/L (1 sites, 2025); Nitrate 92 to 331 mg/L (3 sites, 2025); Manganese 0.486 mg/L (1 sites, 2025)
Thanjavur	Nitrate, Iron	Nitrate	3.6	Nitrate 164 mg/L (1 sites, 2025); Iron 3.3 mg/L (1 sites, 2024)
Theni	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	7.0	Salinity (EC) 4180 to 4280 uS/cm (2 sites, 2024); Fluoride 1.68 to 3.97 mg/L (2 sites, 2025); Nitrate 55 to 194 mg/L (5 sites, 2025); Iron 2.055 mg/L (1 sites, 2025)
Thoothukkudi	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Nitrate	6.6	Salinity (EC) 3830 to 5450 uS/cm (2 sites, 2025); Fluoride 1.57 to 1.93 mg/L (3 sites, 2024); Nitrate 175 to 297 mg/L (2 sites, 2025); Arsenic 12.7 ppb (1 sites, 2025); Uranium 32.56 to 51.7 ppb (2 sites, 2024); Manganese 0.339 to 0.918 mg/L (3 sites, 2025)
Tiruchirappalli	Salinity (EC), Nitrate, Uranium, Manganese	Nitrate	5.4	Salinity (EC) 3010 to 5500 uS/cm (3 sites, 2025); Nitrate 50 to 227 mg/L (9 sites, 2025); Uranium 48.1 ppb (1 sites, 2025); Manganese 0.366 mg/L (1 sites, 2025)
Tirunelveli	Salinity (EC), Fluoride, Nitrate	Nitrate	2.4	Salinity (EC) 3090 to 6480 uS/cm (6 sites, 2024); Fluoride 1.53 to 1.98 mg/L (7 sites, 2024); Nitrate 79 mg/L (1 sites, 2025)
Tirupathur	Salinity (EC), Nitrate	Nitrate	2.5	Salinity (EC) 3900 to 4090 uS/cm (2 sites, 2025); Nitrate 49 to 112 mg/L (3 sites, 2025)
Tiruppur	Salinity (EC), Fluoride, Nitrate, Lead	Nitrate	2.0	Salinity (EC) 4190 to 4290 uS/cm (2 sites, 2025); Fluoride 2.25 mg/L (1 sites, 2025); Nitrate 57 to 92 mg/L (7 sites, 2025); Lead 0.016 mg/L (1 sites, 2025)
Tiruvallur	Salinity (EC), Nitrate, Iron, Arsenic, Manganese	Nitrate	2.4	Salinity (EC) 4380 to 4470 uS/cm (2 sites, 2024); Nitrate 50 mg/L (1 sites, 2025); Iron 1.82 mg/L (1 sites, 2024); Arsenic 11.569 ppb (1 sites, 2024); Manganese 0.543 mg/L (1 sites, 2025)
Tiruvannamalai	Salinity (EC), Nitrate, Arsenic, Manganese	Nitrate	2.1	Salinity (EC) 3690 uS/cm (1 sites, 2025); Nitrate 49 to 93 mg/L (11 sites, 2024); Arsenic 20.3 ppb (1 sites, 2025); Manganese 0.336 mg/L (1 sites, 2025)
Tiruvarur	Salinity (EC), Nitrate, Iron	Nitrate	2.0	Salinity (EC) 4000 uS/cm (1 sites, 2024); Nitrate 57 to 88 mg/L (2 sites, 2024); Iron 1.69 mg/L (1 sites, 2024)
Vellore	Salinity (EC), Fluoride, Nitrate	Nitrate	4.6	Salinity (EC) 7131 uS/cm (1 sites, 2025); Fluoride 1.54 to 2.16 mg/L (3 sites, 2024); Nitrate 102 to 208 mg/L (4 sites, 2024)
Viluppuram	Salinity (EC), Fluoride, Nitrate, Iron, Lead	Iron	5.0	Salinity (EC) 3092 to 6470 uS/cm (8 sites, 2024); Fluoride 1.58 to 1.82 mg/L (4 sites, 2024); Nitrate 46 to 86 mg/L (2 sites, 2025); Iron 4.99 mg/L (1 sites, 2024); Lead 0.026 mg/L (1 sites, 2025)
Virudhunagar	Salinity (EC), Fluoride, Nitrate, Uranium	Salinity (EC)	6.6	Salinity (EC) 3480 uS/cm (1 sites, 2025); Fluoride 1.54 to 2.08 mg/L (12 sites, 2024); Nitrate 61 to 239 mg/L (4 sites, 2025); Uranium 33.2 to 65 ppb (3 sites, 2024)

Telangana

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Adilabad	Fluoride, Nitrate, Iron	Nitrate	4.9	Fluoride 2.37 to 3 mg/L (2 sites, 2025); Nitrate 54 to 134 mg/L (13 sites, 2025); Iron 1.24 mg/L (1 sites, 2024)
Bhadradri Kothagudem	Salinity (EC), Fluoride, Nitrate	Nitrate	1.9	Salinity (EC) 3680 uS/cm (1 sites, 2024); Fluoride 1.65 mg/L (1 sites, 2025); Nitrate 52 to 86 mg/L (3 sites, 2024)
Hanamkonda	Fluoride, Nitrate	Nitrate	6.2	Fluoride 1.53 to 4.34 mg/L (6 sites, 2025); Nitrate 61 to 68 mg/L (2 sites, 2025)
Hyderabad	Fluoride, Iron	Iron	1.5	Fluoride 1.73 mg/L (1 sites, 2025); Iron 1.53 mg/L (1 sites, 2024)
Jagtial	Fluoride, Nitrate	Nitrate	3.8	Fluoride 1.67 to 2.37 mg/L (4 sites, 2025); Nitrate 48 to 121 mg/L (2 sites, 2025)

Jangaon	Salinity (EC), Fluoride, Nitrate	Nitrate	3.8	Salinity (EC) 4044 uS/cm (1 sites, 2024); Fluoride 1.58 to 2.26 mg/L (5 sites, 2025); Nitrate 68 mg/L (1 sites, 2025)
Jayashankar Bhupalapally	Salinity (EC), Nitrate	Nitrate	3.0	Salinity (EC) 3870 uS/cm (1 sites, 2024); Nitrate 134 mg/L (1 sites, 2025)
Jogulamba Gadwal	Salinity (EC), Nitrate	Nitrate	13.0	Salinity (EC) 3420 to 19840 uS/cm (2 sites, 2025); Nitrate 88 mg/L (1 sites, 2025)
Kamareddy	Fluoride, Nitrate	Nitrate	5.3	Fluoride 1.77 mg/L (1 sites, 2024); Nitrate 177 mg/L (1 sites, 2025)
Karimnagar	Fluoride, Nitrate	Fluoride	2.6	Fluoride 1.52 to 3.84 mg/L (3 sites, 2025); Nitrate 84 to 86 mg/L (2 sites, 2024)
Khammam	Salinity (EC), Fluoride, Nitrate	Nitrate	5.6	Salinity (EC) 3560 uS/cm (1 sites, 2025); Fluoride 1.52 to 3.27 mg/L (5 sites, 2025); Nitrate 47 to 83 mg/L (5 sites, 2025)
Komaram Bheem Asifabad	Salinity (EC), Fluoride, Nitrate	Nitrate	2.2	Salinity (EC) 3070 uS/cm (1 sites, 2024); Fluoride 1.53 to 2.2 mg/L (5 sites, 2024); Nitrate 46 mg/L (1 sites, 2025)
Mahabubabad	Fluoride, Nitrate	Nitrate	2.8	Fluoride 1.76 mg/L (1 sites, 2025); Nitrate 110 to 126 mg/L (2 sites, 2025)
Mahabubnagar	Fluoride, Nitrate, Iron	Iron	7.3	Fluoride 1.51 to 2.1 mg/L (2 sites, 2025); Nitrate 101 to 161 mg/L (2 sites, 2025); Iron 1.03 to 7.31 mg/L (33 sites, 2024)
Mancherial	Salinity (EC), Fluoride, Nitrate	Nitrate	3.5	Salinity (EC) 3270 to 3300 uS/cm (2 sites, 2024); Fluoride 2.44 mg/L (1 sites, 2025); Nitrate 45 to 118 mg/L (3 sites, 2025)
Medak	Salinity (EC), Fluoride, Nitrate, Iron	Iron	49.9	Salinity (EC) 3320 to 4457 uS/cm (2 sites, 2025); Fluoride 2.35 mg/L (1 sites, 2025); Nitrate 97 to 208 mg/L (3 sites, 2025); Iron 1.19 to 49.86 mg/L (7 sites, 2024)
Medchal Malkajgiri	Fluoride, Nitrate	Nitrate	2.8	Fluoride 1.97 to 2.47 mg/L (2 sites, 2025); Nitrate 49 to 127 mg/L (3 sites, 2025)
Mulugu	Nitrate	Nitrate	2.0	Nitrate 46 to 62 mg/L (2 sites, 2025)
Nagarkurnool	Salinity (EC), Fluoride, Nitrate	Nitrate	44.2	Salinity (EC) 11460 uS/cm (1 sites, 2024); Fluoride 1.54 to 2.56 mg/L (10 sites, 2025); Nitrate 50 to 250 mg/L (9 sites, 2025)
Nalgonda	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic	Nitrate	5.6	Salinity (EC) 3140 to 9600 uS/cm (2 sites, 2025); Fluoride 1.83 to 5.84 mg/L (6 sites, 2025); Nitrate 46 to 206 mg/L (15 sites, 2025); Iron 1.17 to 1.37 mg/L (4 sites, 2024); Arsenic 17.753 to 19.721 ppb (2 sites, 2024)
Narayanpet	Nitrate	Nitrate	3.9	Nitrate 57 to 96 mg/L (3 sites, 2025)
Nirmal	Fluoride, Nitrate	Nitrate	4.6	Fluoride 1.64 to 1.79 mg/L (3 sites, 2025); Nitrate 47 to 165 mg/L (7 sites, 2025)
Nizamabad	Fluoride, Nitrate, Iron	Iron	8.8	Fluoride 1.53 to 2.16 mg/L (5 sites, 2024); Nitrate 53 to 125 mg/L (4 sites, 2025); Iron 1.44 to 8.82 mg/L (3 sites, 2024)
Peddapalli	Salinity (EC), Fluoride, Nitrate	Fluoride	2.3	Salinity (EC) 3050 to 3110 uS/cm (3 sites, 2024); Fluoride 1.73 mg/L (1 sites, 2025); Nitrate 46 mg/L (1 sites, 2025)
Rajanna Sircilla	Fluoride, Nitrate	Nitrate	5.2	Fluoride 2.04 mg/L (1 sites, 2025); Nitrate 55 to 234 mg/L (3 sites, 2024)
Rangareddy	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	13.1	Salinity (EC) 3250 uS/cm (1 sites, 2025); Fluoride 1.7 to 3.71 mg/L (10 sites, 2025); Nitrate 52 to 136 mg/L (15 sites, 2025); Iron 1.27 to 7.06 mg/L (4 sites, 2024)
Sangareddy	Salinity (EC), Fluoride, Nitrate	Nitrate	6.8	Salinity (EC) 5340 uS/cm (1 sites, 2025); Fluoride 2.01 mg/L (1 sites, 2025); Nitrate 48 to 209 mg/L (10 sites, 2025)
Siddipet	Salinity (EC), Fluoride, Nitrate	Nitrate	5.3	Salinity (EC) 3230 uS/cm (1 sites, 2024); Fluoride 1.69 to 2.21 mg/L (3 sites, 2025); Nitrate 57 to 240 mg/L (10 sites, 2025)
Suryapet	Fluoride, Nitrate	Nitrate	4.1	Fluoride 1.51 to 2.09 mg/L (8 sites, 2024); Nitrate 56 to 96 mg/L (3 sites, 2025)
Vikarabad	Fluoride, Nitrate	Nitrate	5.0	Fluoride 2.53 to 2.95 mg/L (2 sites, 2025); Nitrate 48 to 113 mg/L (15 sites, 2025)
Wanaparthy	Fluoride, Nitrate	Nitrate	4.2	Fluoride 1.52 mg/L (1 sites, 2025); Nitrate 49 to 191 mg/L (3 sites, 2025)
Warangal	Salinity (EC), Fluoride, Nitrate, Iron	Nitrate	7.9	Salinity (EC) 3220 to 3500 uS/cm (2 sites, 2024); Fluoride 1.51 to 2.48 mg/L (5 sites, 2025); Nitrate 91 to 145 mg/L (2 sites, 2025); Iron 1.24 to 1.59 mg/L (2 sites, 2024)

Yadadri Bhuvanagiri	Salinity (EC), Fluoride, Nitrate	Nitrate	3.2	Salinity (EC) 3540 to 4030 uS/cm (2 sites, 2025); Fluoride 1.67 to 4.42 mg/L (4 sites, 2025); Nitrate 47 to 142 mg/L (4 sites, 2025)
---------------------	----------------------------------	---------	-----	--

Tripura

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Dhalai	Nitrate, Iron, Manganese	Manganese	4.2	Nitrate 56 mg/L (1 sites, 2025); Iron 1.1 mg/L (2 sites, 2024); Manganese 0.321 to 1.255 mg/L (4 sites, 2025)
Gomati	Iron, Manganese	Iron	2.0	Iron 1.73 to 2.02 mg/L (4 sites, 2024); Manganese 0.415 to 0.427 mg/L (2 sites, 2025)
Khowai	Iron, Manganese	Iron	1.5	Iron 1.54 mg/L (1 sites, 2024); Manganese 0.323 mg/L (1 sites, 2025)
North Tripura	Nitrate, Iron, Manganese	Manganese	7.3	Nitrate 56 mg/L (1 sites, 2025); Iron 2.98 mg/L (1 sites, 2024); Manganese 0.369 to 2.201 mg/L (6 sites, 2025)
Sipahijala	Manganese	Manganese	2.3	Manganese 0.315 to 0.684 mg/L (4 sites, 2025)
South Tripura	Iron, Manganese	Iron	5.0	Iron 1.07 to 5.04 mg/L (3 sites, 2024); Manganese 0.341 to 0.469 mg/L (4 sites, 2025)
Unokoti	not listed in CGWB exceedance annexures			no measured range published
West Tripura	Nitrate, Manganese	Manganese	1.9	Nitrate 54 to 55 mg/L (2 sites, 2025); Manganese 0.428 to 0.568 mg/L (5 sites, 2025)

Uttar Pradesh

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Agra	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	3.0	Salinity (EC) 3035 to 5095 uS/cm (3 sites, 2025); Fluoride 2.25 mg/L (1 sites, 2025); Nitrate 104 to 135 mg/L (2 sites, 2024); Uranium 87.8 ppb (1 sites, 2025)
Aligarh	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Uranium	4.9	Salinity (EC) 3073 to 4403 uS/cm (2 sites, 2025); Fluoride 1.58 to 1.62 mg/L (2 sites, 2025); Nitrate 59 mg/L (1 sites, 2025); Iron 4.433 mg/L (1 sites, 2025); Arsenic 13 ppb (1 sites, 2024); Uranium 38.6 ppb (1 sites, 2025)
Ambedkar Nagar	Iron	Iron	2.7	Iron 1.66 to 2.72 mg/L (2 sites, 2024)
Amethi	Salinity (EC), Nitrate, Iron, Uranium	Iron	7.9	Salinity (EC) 3083 uS/cm (1 sites, 2024); Nitrate 51 to 72 mg/L (2 sites, 2024); Iron 1.936 mg/L (1 sites, 2025); Uranium 51.52 ppb (1 sites, 2024)
Amroha	Nitrate, Iron, Uranium, Manganese	Iron	7.2	Nitrate 83 mg/L (1 sites, 2024); Iron 1.014 to 3.964 mg/L (3 sites, 2025); Uranium 63.92 ppb (1 sites, 2024); Manganese 0.341 to 0.517 mg/L (3 sites, 2025)
Auraiya	Fluoride, Nitrate, Iron, Uranium, Manganese	Fluoride	2.9	Fluoride 4.41 mg/L (1 sites, 2025); Nitrate 85 mg/L (1 sites, 2024); Iron 1.65 mg/L (1 sites, 2025); Uranium 31.27 to 47.86 ppb (4 sites, 2024); Manganese 0.398 mg/L (1 sites, 2025)
Ayodhya (Faizabad)	Iron, Arsenic	Iron	6.7	Iron 6.654 mg/L (1 sites, 2025); Arsenic 18 ppb (1 sites, 2024)
Azamgarh	Fluoride, Iron, Arsenic, Uranium	Iron	11.6	Fluoride 8.2 mg/L (1 sites, 2024); Iron 1.39 to 11.57 mg/L (2 sites, 2024); Arsenic 22 to 27 ppb (2 sites, 2024); Uranium 74.23 to 104.44 ppb (2 sites, 2024)
Baghpat	Nitrate, Arsenic	Nitrate	4.3	Nitrate 181 mg/L (1 sites, 2025); Arsenic 28 ppb (1 sites, 2024)
Bahraich	Iron, Arsenic	Arsenic	10.3	Iron 1.066 to 3.528 mg/L (8 sites, 2025); Arsenic 16.7 to 39.8 ppb (3 sites, 2025)
Ballia	Iron, Arsenic	Arsenic	10.7	Iron 1.525 to 2.368 mg/L (2 sites, 2025); Arsenic 106.9 ppb (1 sites, 2025)
Balrampur	Nitrate, Iron, Arsenic, Manganese	Iron	11.9	Nitrate 53 to 65 mg/L (2 sites, 2024); Iron 1.298 to 6.173 mg/L (7 sites, 2025); Arsenic 14.4 to 43 ppb (2 sites, 2025); Manganese 0.333 to 0.659 mg/L (2 sites, 2025)
Banda	Nitrate, Iron, Uranium	Nitrate	1.8	Nitrate 62 mg/L (1 sites, 2025); Iron 1.12 to 1.3 mg/L (2 sites, 2024); Uranium 52.4 ppb (1 sites, 2025)
Barabanki	Iron, Arsenic	Iron	3.6	Iron 2.579 mg/L (1 sites, 2025); Arsenic 12.1 ppb (1 sites, 2025)

Bareilly	Iron, Arsenic, Uranium, Manganese	Iron	3.3	Iron 1.016 to 1.438 mg/L (2 sites, 2025); Arsenic 10.2 ppb (1 sites, 2025); Uranium 68.21 ppb (1 sites, 2024); Manganese 0.434 mg/L (1 sites, 2025)
Basti	Iron, Arsenic	Iron	1.5	Iron 1.39 to 1.5 mg/L (2 sites, 2024); Arsenic 11 ppb (1 sites, 2024)
Bhadohi	Nitrate, Iron, Uranium	Iron	1.7	Iron 1.43 to 1.71 mg/L (2 sites, 2024)
Bijnor	Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	7.5	Nitrate 62 mg/L (1 sites, 2025); Iron 1.106 to 2.631 mg/L (3 sites, 2025); Arsenic 16 ppb (1 sites, 2025); Uranium 63 ppb (1 sites, 2025); Manganese 0.466 to 0.6 mg/L (3 sites, 2025)
Budaun	Nitrate, Iron, Uranium, Manganese, Lead	Iron	5.1	Nitrate 46 mg/L (2 sites, 2024); Iron 1.619 to 5.141 mg/L (5 sites, 2025); Uranium 43.7 ppb (1 sites, 2025); Manganese 0.362 to 0.443 mg/L (2 sites, 2025); Lead 0.011 mg/L (1 sites, 2025)
Bulandshahr	Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	3.7	Fluoride 1.8 mg/L (1 sites, 2024); Nitrate 68 mg/L (1 sites, 2024); Iron 2.943 mg/L (1 sites, 2025); Arsenic 23.7 ppb (1 sites, 2025); Uranium 34.7 to 36.08 ppb (2 sites, 2024); Manganese 0.3 mg/L (1 sites, 2025)
Chandauli	Iron, Lead	Iron	6.3	Iron 1.029 to 6.259 mg/L (3 sites, 2025); Lead 0.013 mg/L (1 sites, 2025)
Chitrakoot	Nitrate, Iron, Manganese	Iron	37.1	Nitrate 62 mg/L (1 sites, 2025); Iron 1.249 to 37.118 mg/L (5 sites, 2025); Manganese 0.411 to 7.01 mg/L (5 sites, 2025)
Deoria	Iron, Arsenic, Uranium	Iron	7.1	Iron 1.19 to 7.1 mg/L (8 sites, 2024); Arsenic 30 ppb (1 sites, 2024)
Etah	Nitrate, Iron, Uranium, Manganese	Iron	3.3	Nitrate 116 mg/L (1 sites, 2024); Iron 1.796 mg/L (1 sites, 2025); Uranium 46.2 ppb (1 sites, 2025); Manganese 0.507 mg/L (1 sites, 2025)
Etawah	Salinity (EC), Nitrate, Iron, Uranium	Nitrate	11.1	Salinity (EC) 3060 uS/cm (1 sites, 2025); Nitrate 48 mg/L (1 sites, 2025); Iron 1.51 to 2.49 mg/L (3 sites, 2024)
Farukhabad	Fluoride, Iron, Arsenic	Iron	4.4	Fluoride 1.78 mg/L (1 sites, 2024); Iron 1.207 to 2.162 mg/L (3 sites, 2025); Arsenic 31 ppb (1 sites, 2025)
Fatehpur	Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	20.3	Fluoride 1.95 mg/L (1 sites, 2024); Nitrate 90 to 147 mg/L (2 sites, 2025); Iron 1.466 to 5.818 mg/L (4 sites, 2025); Arsenic 16.1 ppb (1 sites, 2025); Uranium 32.15 to 83.67 ppb (3 sites, 2024); Manganese 0.687 mg/L (1 sites, 2025)
Firozabad	Salinity (EC), Fluoride, Nitrate	Nitrate	3.2	Salinity (EC) 6175 uS/cm (1 sites, 2024); Fluoride 1.61 to 1.81 mg/L (2 sites, 2024); Nitrate 46 to 146 mg/L (2 sites, 2024)
Gautam Buddha Nagar	Salinity (EC), Fluoride, Nitrate, Uranium	Nitrate	3.6	Salinity (EC) 4416 uS/cm (1 sites, 2024); Fluoride 1.7 to 2.6 mg/L (2 sites, 2024); Nitrate 66 to 160 mg/L (3 sites, 2024); Uranium 35.7 ppb (1 sites, 2025)
Ghaziabad	Salinity (EC), Nitrate, Iron, Uranium, Manganese	Iron	5.3	Salinity (EC) 3032 uS/cm (1 sites, 2024); Nitrate 50 to 65 mg/L (5 sites, 2025); Iron 1.09 to 5.33 mg/L (3 sites, 2024); Uranium 39.8 ppb (1 sites, 2025); Manganese 0.375 to 1.244 mg/L (2 sites, 2025)
Ghazipur	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	4.7	Salinity (EC) 3119 uS/cm (1 sites, 2024); Fluoride 3.15 mg/L (1 sites, 2024); Nitrate 56 to 70 mg/L (2 sites, 2024); Iron 2.81 to 4.72 mg/L (3 sites, 2024); Uranium 30.9 to 33.8 ppb (2 sites, 2025); Manganese 0.361 mg/L (1 sites, 2025)
Gonda	Iron, Arsenic	Arsenic	13.0	Iron 1.416 to 3.942 mg/L (3 sites, 2025); Arsenic 14 to 130 ppb (5 sites, 2024)
Gorakhpur	Nitrate, Iron, Arsenic, Manganese	Iron	5.2	Nitrate 63 mg/L (1 sites, 2024); Iron 1.07 to 5.17 mg/L (16 sites, 2024); Arsenic 22 ppb (1 sites, 2024); Manganese 0.514 to 0.88 mg/L (2 sites, 2025)
Hamirpur	Salinity (EC), Nitrate, Iron	Nitrate	7.1	Salinity (EC) 3012 uS/cm (1 sites, 2024); Nitrate 64 to 149 mg/L (3 sites, 2025); Iron 2.223 to 2.898 mg/L (2 sites, 2025)
Hapur	Nitrate, Iron, Uranium	Iron	6.7	Nitrate 52 to 54 mg/L (2 sites, 2025); Iron 2.61 to 6.67 mg/L (2 sites, 2024)
Hardoi	Iron, Arsenic, Uranium, Manganese	Iron	8.4	Iron 1.342 to 7.173 mg/L (5 sites, 2025); Arsenic 12 to 20 ppb (3 sites, 2024); Manganese 0.358 to 0.962 mg/L (2 sites, 2025)
Hathras	Salinity (EC), Fluoride, Nitrate, Iron, Uranium	Iron	5.0	Salinity (EC) 3678 to 9128 uS/cm (4 sites, 2024); Fluoride 2.95 mg/L (1 sites, 2024); Nitrate 89 to 94 mg/L (2 sites, 2024); Iron 3.084 mg/L (1 sites, 2025); Uranium 33.61 to 118.81 ppb (5 sites, 2024)
Jalaun	Nitrate, Iron, Uranium	Iron	2.7	Nitrate 63 to 64 mg/L (2 sites, 2025); Iron 1.304 mg/L (1 sites, 2025); Uranium 30.7 ppb (1 sites, 2025)

Jaunpur	Nitrate, Iron, Uranium	Iron	8.1	Nitrate 115 mg/L (1 sites, 2024); Iron 1.09 to 8.09 mg/L (3 sites, 2024); Uranium 30.05 to 39.5 ppb (4 sites, 2024)
Jhansi	Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	9.2	Fluoride 1.52 to 2.68 mg/L (5 sites, 2025); Nitrate 63 to 129 mg/L (6 sites, 2025); Iron 2.28 to 9.173 mg/L (3 sites, 2025); Uranium 32 to 116 ppb (3 sites, 2025); Manganese 1.247 mg/L (1 sites, 2025)
Kannauj	Fluoride, Iron, Uranium	Iron	4.6	Fluoride 6.69 mg/L (1 sites, 2025); Iron 1.252 to 4.648 mg/L (2 sites, 2025); Uranium 40.9 ppb (1 sites, 2025)
Kanpur Dehat	Fluoride, Nitrate, Iron, Uranium	Nitrate	8.8	Fluoride 4.5 to 6 mg/L (2 sites, 2024); Nitrate 84 to 396 mg/L (3 sites, 2024); Iron 1.11 to 7.87 mg/L (3 sites, 2024); Uranium 40 ppb (1 sites, 2025)
Kanpur Nagar	Fluoride, Nitrate, Iron, Uranium	Iron	11.3	Fluoride 2.5 mg/L (1 sites, 2024); Nitrate 68 to 88 mg/L (2 sites, 2024); Iron 4.535 to 11.335 mg/L (2 sites, 2025)
Kasganj	Nitrate, Iron, Uranium	Nitrate	8.4	Nitrate 143 to 379 mg/L (2 sites, 2024); Iron 2.44 mg/L (1 sites, 2024); Uranium 30.29 ppb (1 sites, 2024)
Kaushambi	Fluoride, Nitrate	Nitrate	8.9	Fluoride 2.85 mg/L (1 sites, 2025); Nitrate 300 to 400 mg/L (2 sites, 2024)
Kushinagar	Iron, Arsenic, Manganese	Iron	11.3	Iron 1.749 to 11.298 mg/L (2 sites, 2025); Arsenic 15 to 23 ppb (2 sites, 2024); Manganese 0.486 mg/L (1 sites, 2025)
Lakhimpur Kheri	Iron, Arsenic, Manganese	Iron	10.2	Iron 1.046 to 10.175 mg/L (13 sites, 2025); Arsenic 13.3 to 67.2 ppb (5 sites, 2025); Manganese 1.155 mg/L (1 sites, 2025)
Lalitpur	Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	6.9	Fluoride 1.53 to 2.05 mg/L (3 sites, 2024); Nitrate 52 to 165 mg/L (6 sites, 2025); Iron 1.162 to 2.574 mg/L (2 sites, 2025); Uranium 60 ppb (1 sites, 2025); Manganese 0.992 mg/L (1 sites, 2025)
Lucknow	Fluoride, Nitrate, Iron	Iron	3.9	Fluoride 1.64 mg/L (1 sites, 2024); Nitrate 80 mg/L (1 sites, 2024); Iron 1.33 to 3.89 mg/L (5 sites, 2024)
Maharajganj	Iron	Iron	2.5	Iron 1.209 mg/L (1 sites, 2025)
Mahoba	Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	18.3	Fluoride 2.05 to 2.16 mg/L (2 sites, 2025); Nitrate 83 to 141 mg/L (3 sites, 2025); Iron 1.27 to 13.522 mg/L (6 sites, 2025); Uranium 33.5 to 33.7 ppb (2 sites, 2025); Manganese 0.492 to 0.768 mg/L (2 sites, 2025)
Mainpuri	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Uranium	Arsenic	4.5	Salinity (EC) 3157 to 3252 uS/cm (2 sites, 2024); Fluoride 1.65 to 1.81 mg/L (2 sites, 2024); Nitrate 52 mg/L (1 sites, 2024); Iron 1.15 mg/L (1 sites, 2024); Arsenic 45 ppb (1 sites, 2024); Uranium 35.32 to 57.31 ppb (3 sites, 2024)
Mathura	Salinity (EC), Fluoride, Nitrate, Uranium, Manganese	Nitrate	16.2	Salinity (EC) 3499 to 10560 uS/cm (3 sites, 2025); Fluoride 1.97 mg/L (1 sites, 2025); Nitrate 49 to 56 mg/L (2 sites, 2025); Uranium 43.9 ppb (1 sites, 2025); Manganese 0.311 to 0.383 mg/L (2 sites, 2025)
Mau	Iron	Iron	4.2	Iron 1.309 mg/L (1 sites, 2025)
Meerut	Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	8.4	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 56 to 75 mg/L (2 sites, 2025); Iron 1.057 to 8.434 mg/L (14 sites, 2025); Uranium 36.1 to 39.9 ppb (3 sites, 2025); Manganese 0.307 to 0.529 mg/L (6 sites, 2025)
Mirzapur	Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	5.0	Nitrate 51 to 108 mg/L (3 sites, 2024); Iron 1.125 to 1.679 mg/L (2 sites, 2025); Arsenic 24 to 35 ppb (2 sites, 2024); Uranium 37.6 ppb (1 sites, 2024); Manganese 0.732 mg/L (1 sites, 2025)
Moradabad	Nitrate, Iron, Arsenic, Manganese	Iron	10.1	Nitrate 51 mg/L (1 sites, 2024); Iron 5.098 to 10.096 mg/L (2 sites, 2025); Arsenic 11 to 25 ppb (3 sites, 2025); Manganese 0.306 to 1.05 mg/L (3 sites, 2025)
Muzaffarnagar	Nitrate, Iron, Manganese	Iron	11.2	Nitrate 85 mg/L (1 sites, 2025); Iron 2.416 to 11.211 mg/L (3 sites, 2025); Manganese 0.334 mg/L (1 sites, 2025)
Pilibhit	Nitrate, Iron, Arsenic, Manganese	Iron	5.7	Nitrate 128 mg/L (1 sites, 2024); Iron 1.561 to 5.659 mg/L (5 sites, 2025); Arsenic 30 ppb (1 sites, 2025); Manganese 0.488 mg/L (1 sites, 2025)
Pratapgarh	Fluoride, Iron, Uranium, Manganese	Fluoride	3.3	Fluoride 1.6 to 5 mg/L (4 sites, 2024); Iron 1.196 mg/L (1 sites, 2025); Uranium 30.07 to 83.85 ppb (3 sites, 2024); Manganese 0.526 mg/L (1 sites, 2025)
Prayagraj (Allahabad)	Fluoride, Nitrate, Iron, Uranium	Iron	16.6	Fluoride 2.35 to 3.85 mg/L (2 sites, 2025); Nitrate 48 to 110 mg/L (2 sites, 2025); Iron 1.14 to 16.63 mg/L (4 sites, 2024); Uranium 55.3 ppb (1 sites, 2025)
Raebareli	Fluoride, Iron, Arsenic, Uranium	Iron	17.9	Fluoride 1.51 to 2.21 mg/L (4 sites, 2024); Iron 1.853 mg/L (1 sites, 2025); Arsenic 72 ppb (1 sites, 2024); Uranium 30.1 ppb (1 sites, 2025)

Rampur	Nitrate, Iron, Arsenic, Uranium	Iron	6.6	Nitrate 84 mg/L (1 sites, 2024); Iron 1.226 to 3.277 mg/L (3 sites, 2025); Arsenic 14 to 17 ppb (2 sites, 2025); Uranium 37.38 ppb (1 sites, 2024)
Saharanpur	Iron, Arsenic, Uranium	Iron	7.0	Iron 1.072 to 2.126 mg/L (2 sites, 2025); Arsenic 11 to 16 ppb (2 sites, 2024); Uranium 40.19 to 51.19 ppb (2 sites, 2024)
Sambhal	Nitrate, Iron, Arsenic	Iron	2.5	Nitrate 49 mg/L (1 sites, 2024); Iron 2.47 mg/L (2 sites, 2024); Arsenic 13 ppb (1 sites, 2025)
Sant Kabir Nagar	Iron, Arsenic	Iron	9.8	Iron 2.252 to 9.769 mg/L (3 sites, 2025)
Shahjahanpur	Nitrate, Iron, Arsenic, Uranium	Iron	8.6	Nitrate 51 mg/L (1 sites, 2024); Iron 1.01 to 8.583 mg/L (4 sites, 2025); Arsenic 11.2 to 18.2 ppb (2 sites, 2025); Uranium 86.6 ppb (1 sites, 2025)
Shamli	Nitrate, Iron, Uranium	Iron	6.0	Nitrate 157 mg/L (1 sites, 2025); Iron 5.96 mg/L (1 sites, 2024); Uranium 37.05 to 48.86 ppb (2 sites, 2024)
Shrawasti	Nitrate, Iron	Iron	3.4	Nitrate 48 mg/L (1 sites, 2024); Iron 1.066 to 1.608 mg/L (2 sites, 2025)
Siddharthnagar	Nitrate, Iron, Arsenic	Iron	19.4	Nitrate 80 mg/L (1 sites, 2024); Iron 1.555 to 3.277 mg/L (3 sites, 2025)
Sitapur	Iron	Iron	4.9	Iron 1.273 to 4.523 mg/L (3 sites, 2025)
Sonbhadra	Fluoride, Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	37.1	Fluoride 1.58 to 1.87 mg/L (7 sites, 2025); Nitrate 64 to 76 mg/L (2 sites, 2025); Iron 1.474 to 37.053 mg/L (13 sites, 2025); Arsenic 32.8 ppb (1 sites, 2025); Uranium 98.2 ppb (1 sites, 2025); Manganese 0.322 to 2.502 mg/L (5 sites, 2025)
Sultanpur	Uranium	Uranium	1.5	Uranium 45.17 ppb (1 sites, 2024)
Unnao	Salinity (EC), Fluoride, Nitrate, Iron, Uranium, Manganese	Iron	8.6	Salinity (EC) 3230 uS/cm (1 sites, 2024); Fluoride 1.53 mg/L (1 sites, 2024); Nitrate 66 mg/L (1 sites, 2024); Iron 1.19 to 8.557 mg/L (3 sites, 2025); Uranium 31.7 to 42.6 ppb (2 sites, 2025); Manganese 0.368 to 0.41 mg/L (2 sites, 2025)
Varanasi	Nitrate, Iron, Uranium, Manganese	Iron	4.8	Nitrate 54 to 55 mg/L (2 sites, 2024); Iron 1.196 to 2.783 mg/L (2 sites, 2025); Uranium 36.4 ppb (1 sites, 2025); Manganese 0.363 mg/L (1 sites, 2025)

Uttarakhand

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Almora	Fluoride, Nitrate, Iron, Arsenic	Arsenic	8.0	Fluoride 1.78 mg/L (1 sites, 2025); Nitrate 47 mg/L (1 sites, 2024); Iron 1.655 to 6.786 mg/L (3 sites, 2025); Arsenic 10.423 to 79.637 ppb (2 sites, 2024)
Bageshwar	Nitrate, Iron, Manganese	Iron	2.4	Nitrate 59 to 71 mg/L (2 sites, 2025); Iron 1.659 to 2.412 mg/L (2 sites, 2025); Manganese 0.332 mg/L (1 sites, 2025)
Chamoli	Iron, Manganese	Iron	6.9	Iron 6.86 mg/L (1 sites, 2025); Manganese 0.312 mg/L (1 sites, 2025)
Champawat	Nitrate, Iron	Iron	2.9	Nitrate 58 mg/L (1 sites, 2025); Iron 1.119 mg/L (1 sites, 2025)
Dehradun	Nitrate, Iron, Manganese	Iron	43.3	Nitrate 57 to 701 mg/L (14 sites, 2024); Iron 1.123 to 21.036 mg/L (4 sites, 2025); Manganese 0.48 mg/L (1 sites, 2025)
Haridwar	Nitrate, Iron, Arsenic, Uranium, Manganese	Iron	19.9	Nitrate 49 to 160 mg/L (7 sites, 2024); Iron 1.24 to 5.707 mg/L (4 sites, 2025); Arsenic 16.711 to 92.197 ppb (5 sites, 2024); Uranium 31.3 ppb (1 sites, 2024); Manganese 0.5 to 1.136 mg/L (3 sites, 2025)
Nainital	Nitrate, Iron, Manganese	Iron	20.6	Nitrate 46 to 114 mg/L (4 sites, 2024); Iron 6.982 to 20.649 mg/L (3 sites, 2025); Manganese 0.322 to 0.666 mg/L (2 sites, 2025)
Pauri Garhwal	Iron, Manganese, Zinc	Iron	15.6	Iron 7.539 to 15.595 mg/L (2 sites, 2025); Manganese 0.353 mg/L (1 sites, 2025); Zinc 17.063 mg/L (1 sites, 2025)
Pithoragarh	Nitrate, Iron	Iron	1.2	Nitrate 54 mg/L (1 sites, 2025); Iron 1.229 mg/L (1 sites, 2025)
Rudraprayag	not listed in CGWB exceedance annexures			no measured range published

Tehri Garhwal	Iron, Manganese	Manganese	11.2	Iron 1.191 to 9.813 mg/L (3 sites, 2025); Manganese 0.598 to 3.354 mg/L (2 sites, 2025)
Udham Singh Nagar	Nitrate, Iron, Arsenic, Manganese	Iron	6.0	Iron 1.299 to 3.977 mg/L (4 sites, 2025); Manganese 0.305 to 0.459 mg/L (3 sites, 2025)
Uttarkashi	Fluoride, Nitrate, Iron	Iron	12.4	Fluoride 2.4 mg/L (1 sites, 2025); Nitrate 54 mg/L (1 sites, 2025); Iron 1.336 to 12.411 mg/L (3 sites, 2025)

West Bengal

District	Flagged for	Worst parameter	x limit	Measured ranges at exceeding sites
Alipurduar	Nitrate, Iron, Manganese	Iron	3.4	Nitrate 48 to 97 mg/L (2 sites, 2024); Iron 3.4 mg/L (1 sites, 2024); Manganese 0.386 mg/L (1 sites, 2025)
Bankura	Salinity (EC), Nitrate, Iron, Manganese	Iron	53.7	Salinity (EC) 5534 uS/cm (1 sites, 2024); Nitrate 46 to 52 mg/L (13 sites, 2024); Iron 1.84 mg/L (1 sites, 2025); Manganese 1.014 mg/L (1 sites, 2025)
Birbhum	Fluoride, Nitrate, Iron, Manganese	Iron	19.5	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 49 to 53 mg/L (3 sites, 2025); Iron 2.841 to 12.841 mg/L (4 sites, 2025); Manganese 0.308 to 1.881 mg/L (4 sites, 2025)
Cooch Behar	Nitrate, Iron, Arsenic, Manganese	Iron	17.6	Nitrate 48 to 53 mg/L (2 sites, 2025); Iron 10.038 mg/L (1 sites, 2025); Arsenic 16.7 ppb (1 sites, 2025); Manganese 0.389 to 1.251 mg/L (2 sites, 2025)
Dakshin Dinajpur	Fluoride, Nitrate, Iron, Manganese	Iron	16.8	Fluoride 1.7 mg/L (1 sites, 2025); Iron 1.623 to 10.523 mg/L (7 sites, 2025); Manganese 0.375 to 1.398 mg/L (3 sites, 2025)
Darjeeling	Nitrate, Iron	Iron	12.9	Nitrate 48 to 53 mg/L (6 sites, 2025); Iron 1.802 mg/L (1 sites, 2025)
Hooghly	Nitrate, Iron, Arsenic, Manganese	Iron	22.0	Nitrate 46 to 48 mg/L (2 sites, 2025); Iron 1.148 to 5.1 mg/L (4 sites, 2025); Arsenic 22.3 ppb (1 sites, 2025); Manganese 0.395 mg/L (1 sites, 2025)
Howrah	Salinity (EC), Nitrate, Iron, Arsenic, Manganese	Iron	8.6	Salinity (EC) 3507 to 4184 uS/cm (2 sites, 2025); Nitrate 45 mg/L (1 sites, 2025); Iron 1.13 to 8.64 mg/L (3 sites, 2025); Arsenic 12.1 ppb (1 sites, 2025); Manganese 0.414 to 2.325 mg/L (4 sites, 2025)
Jalpaiguri	Nitrate, Iron	Iron	10.0	Nitrate 53 mg/L (1 sites, 2025); Iron 3.351 mg/L (1 sites, 2025)
Jhargram	Nitrate, Iron	Iron	1.3	Nitrate 49 to 54 mg/L (4 sites, 2024); Iron 1.1 to 1.3 mg/L (5 sites, 2024)
Kalimpong	not listed in CGWB exceedance annexures			no measured range published
Kolkata	Iron	Iron	11.6	Iron 1.1 to 11.6 mg/L (6 sites, 2024)
Malda	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Manganese	Arsenic	20.4	Salinity (EC) 3371 uS/cm (1 sites, 2024); Fluoride 2 mg/L (1 sites, 2025); Nitrate 47 to 59 mg/L (10 sites, 2024); Iron 2.022 to 5.724 mg/L (3 sites, 2025); Arsenic 60.8 to 203.7 ppb (2 sites, 2025); Manganese 0.713 mg/L (1 sites, 2025)
Murshidabad	Salinity (EC), Nitrate, Iron, Arsenic, Manganese	Arsenic	29.9	Salinity (EC) 3280 uS/cm (1 sites, 2025); Nitrate 47 to 56 mg/L (6 sites, 2024); Iron 2.174 to 17.396 mg/L (20 sites, 2025); Arsenic 14.8 to 299.1 ppb (23 sites, 2025); Manganese 0.318 to 1.314 mg/L (14 sites, 2025)
Nadia	Nitrate, Iron, Arsenic, Manganese	Arsenic	34.0	Nitrate 48 to 52 mg/L (2 sites, 2025); Iron 1.19 to 22.457 mg/L (16 sites, 2025); Arsenic 10.8 to 339.7 ppb (19 sites, 2025); Manganese 0.337 to 0.684 mg/L (11 sites, 2025)
North 24 Parganas	Salinity (EC), Fluoride, Nitrate, Iron, Arsenic, Manganese, Zinc	Iron	43.7	Salinity (EC) 3245 to 5453 uS/cm (2 sites, 2025); Fluoride 1.76 mg/L (1 sites, 2025); Iron 1.211 to 24.693 mg/L (33 sites, 2025); Arsenic 11.2 to 162.2 ppb (24 sites, 2025); Manganese 0.318 to 1.775 mg/L (15 sites, 2025); Zinc 16.121 mg/L (1 sites, 2025)
Paschim Bardhaman	Fluoride, Nitrate, Iron, Manganese	Manganese	5.7	Fluoride 1.6 mg/L (1 sites, 2024); Nitrate 52 to 138 mg/L (10 sites, 2025); Iron 1.053 mg/L (1 sites, 2025); Manganese 0.733 to 1.724 mg/L (2 sites, 2025)
Paschim Medinipur	Nitrate, Iron	Iron	29.5	Iron 1.656 to 27.359 mg/L (2 sites, 2025)
Purba Bardhaman	Nitrate, Iron, Manganese	Iron	24.8	Nitrate 47 mg/L (1 sites, 2025); Iron 2.857 to 24.823 mg/L (4 sites, 2025); Manganese 0.356 mg/L (1 sites, 2025)
Purba Medinipur	Iron	Iron	12.9	Iron 9.619 to 11.396 mg/L (3 sites, 2025)

Purulia	Salinity (EC), Nitrate, Manganese	Manganese	3.1	Salinity (EC) 3837 to 3972 uS/cm (2 sites, 2025); Nitrate 46 to 54 mg/L (9 sites, 2024); Manganese 0.497 to 0.916 mg/L (4 sites, 2025)
South 24 Parganas	Salinity (EC), Nitrate, Iron, Arsenic, Manganese	Arsenic	29.3	Salinity (EC) 3962 uS/cm (1 sites, 2025); Nitrate 48 to 50 mg/L (2 sites, 2025); Iron 1.285 to 12.396 mg/L (12 sites, 2025); Arsenic 25.6 to 292.6 ppb (5 sites, 2025); Manganese 0.337 to 1.63 mg/L (3 sites, 2025)
Uttar Dinajpur	Nitrate, Iron	Iron	17.1	Nitrate 49 mg/L (1 sites, 2024); Iron 1.5 to 17.1 mg/L (11 sites, 2024)